



## Article

# The Herschel-ATLAS Data Release 1 - II. Multi-wavelength counterparts to submillimetre sources

Bourne, N., Dunne, L., Maddox, S. J., Dye, S., Furlanetto, C., Hoyos, C., Smith, D. J. B., Eales, S., Smith, M. W. L., Valiante, E., Alpaslan, M., Andrae, E., Baldry, I. K., Cluver, M. E., Cooray, A., Driver, S. P., Dunlop, J. S., Grootes, M. W., Ivison, R. J., Jarrett, T. H., Liske, J., Madore, B. F., Popescu, Cristina, Robotham, A. G., Rowlands, K., Seibert, M., Thompson, M. A., Tuffs, R. J., Viaene, S. and Wright, A. H.

Available at <http://clock.uclan.ac.uk/16799/>

*Bourne, N., Dunne, L., Maddox, S. J., Dye, S., Furlanetto, C., Hoyos, C., Smith, D. J. B., Eales, S., Smith, M. W. L. et al (2016) The Herschel-ATLAS Data Release 1 - II. Multi-wavelength counterparts to submillimetre sources. Monthly Notices of the Royal Astronomical Society, 462 (2). pp. 1714-1734. ISSN 0035-8711*

It is advisable to refer to the publisher's version if you intend to cite from the work.  
<http://dx.doi.org/10.1093/mnras/stw1654>

For more information about UCLan's research in this area go to <http://www.uclan.ac.uk/researchgroups/> and search for <name of research Group>.

For information about Research generally at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the [policies](#) page.

[Sign on](#)[SAO/NASA ADS](#) [Astronomy Abstract Service](#)

- [Find Similar Abstracts](#) (with [default settings below](#) )
- [Electronic Refereed Journal Article \(HTML\)](#)
- [Full Refereed Journal Article \(PDF/Postscript\)](#)
- [arXiv e-print](#) (arXiv:1606.09254)
- [On-line Data](#)
- [References in the article](#)
- [Citations to the Article \(4\)](#) ( [Citation History](#) )
- [Refereed Citations to the Article](#)
- [Also-Read Articles](#) ( [Reads History](#) )
- 
- [Translate This Page](#)

**Title:** The Herschel-ATLAS Data Release 1 - II. Multi-wavelength counterparts to submillimetre sources

**Authors:** [Bourne, N.](#) ; [Dunne, L.](#) ; [Maddox, S. J.](#) ; [Dye, S.](#) ; [Furlanetto, C.](#) ;  
[Hoyos, C.](#) ; [Smith, D. J. B.](#) ; [Eales, S.](#) ; [Smith, M. W. L.](#) ; [Valiante, E.](#)  
; [Alpaslan, M.](#) ; [Andrae, E.](#) ; [Baldry, I. K.](#) ; [Cluver, M. E.](#) ;  
[Cooray, A.](#) ; [Driver, S. P.](#) ; [Dunlop, J. S.](#) ; [Grootes, M. W.](#) ;  
[Ivison, R. J.](#) ; [Jarrett, T. H.](#) ; [Liske, J.](#) ; [Madore, B. F.](#) ; [Popescu, C. C.](#)  
; [Robotham, A. G.](#) ; [Rowlands, K.](#) ; [Seibert, M.](#) ; [Thompson, M. A.](#) ;  
[Tuffs, R. J.](#) ; [Viaene, S.](#) ; [Wright, A. H.](#)

**Affiliation:** AA(SUPA,<sup>‡</sup> Institute for Astronomy, University of Edinburgh, Royal Observatory, Edinburgh EH9 3HJ, UK [nbourne22@gmail.com](mailto:nbourne22@gmail.com)), AB(SUPA,<sup>‡</sup> Institute for Astronomy, University of Edinburgh, Royal Observatory, Edinburgh EH9 3HJ, UK; School of Physics and Astronomy, Cardiff University, The Parade, Cardiff CF24 3AA, UK), AC(SUPA,<sup>‡</sup> Institute for Astronomy, University of Edinburgh, Royal Observatory, Edinburgh EH9

3HJ, UK; School of Physics and Astronomy, Cardiff University, The Parade, Cardiff CF24 3AA, UK), AD(School of Physics and Astronomy, University of Nottingham, University Park, Nottingham NG7 2RD, UK), AE(School of Physics and Astronomy, University of Nottingham, University Park, Nottingham NG7 2RD, UK; CAPES Foundation, Ministry of Education of Brazil, Brasília, DF 70040-020, Brazil), AF(School of Physics and Astronomy, University of Nottingham, University Park, Nottingham NG7 2RD, UK; Departamento de Física Teórica, Universidad Autónoma de Madrid, Crta de Colmenar Viejo. km 15.600, E-28049 Madrid, Spain; Departamento de Física, Universidad Carlos III de Madrid, Campus de Leganés, Avda. Universidad 30, E-28911 Madrid, Spain), AG(Centre for Astrophysics Research, School of Physics, Astronomy and Mathematics, University of Hertfordshire, College Lane, Hatfield, AL10 9AB, UK), AH(School of Physics and Astronomy, Cardiff University, The Parade, Cardiff CF24 3AA, UK), AI(School of Physics and Astronomy, Cardiff University, The Parade, Cardiff CF24 3AA, UK), AJ(School of Physics and Astronomy, Cardiff University, The Parade, Cardiff CF24 3AA, UK), AK(SUPA, School of Physics and Astronomy, University of St Andrews, North Haugh, St Andrews, Fife, KY16 9SS, UK; International Centre for Radio Astronomy (ICRAR), University of Western Australia, Crawley, WA 6009, Australia), AL(Max-Planck-Institut für Kernphysik (MPIK), Saupfercheckweg 1, D-69117 Heidelberg, Germany), AM(Astrophysics Research Institute, Liverpool John Moores University, IC2, Liverpool Science Park, 146 Brownlow Hill, Liverpool L3 5RF, UK), AN(University of the Western Cape, Robert Sobukwe Road, Bellville 7535, South Africa), AO(Department of Physics and Astronomy, University of California, Irvine, CA 92697, USA), AP(SUPA, School of Physics and Astronomy, University of St Andrews, North Haugh, St Andrews, Fife, KY16 9SS, UK; International Centre for Radio Astronomy (ICRAR), University of Western Australia, Crawley, WA 6009, Australia), AQ(SUPA,‡ Institute for Astronomy, University of Edinburgh, Royal Observatory, Edinburgh EH9 3HJ, UK), AR(Max-Planck-Institut für Kernphysik (MPIK), Saupfercheckweg 1, D-69117 Heidelberg, Germany), AS(SUPA,‡ Institute for Astronomy, University of Edinburgh, Royal Observatory, Edinburgh EH9 3HJ, UK; ESO, Karl Schwarzschild Strasse 2, D-85748 Garching, Germany), AT(Department of Astronomy, University of Cape Town, Private Bag X3, Rondebosch 7701, South Africa), AU(Hamburger Sternwarte, Universität Hamburg, Gojenbergsweg 112, D-21029 Hamburg, Germany), AV(The Observatories, Carnegie Institute of Washington, 813 Santa Barbara Street, Pasadena, CA 91101, USA), AW(Jeremiah Horrocks Institute, University of Central Lancashire, Preston PR1 2HE, UK), AX(SUPA, School of Physics and Astronomy, University of St Andrews, North Haugh, St Andrews, Fife, KY16 9SS, UK; International Centre for Radio Astronomy (ICRAR), University of Western Australia, Crawley, WA 6009, Australia), AY(SUPA, School of Physics and Astronomy, University of St Andrews, North Haugh, St Andrews, Fife, KY16 9SS, UK), AZ(The Observatories, Carnegie Institute

of Washington, 813 Santa Barbara Street, Pasadena, CA 91101, USA),  
BA(Centre for Astrophysics Research, School of Physics, Astronomy and  
Mathematics, University of Hertfordshire, College Lane, Hatfield, AL10  
9AB, UK), BB(Max-Planck-Institut für Kernphysik (MPIK),  
Saupfercheckweg 1, D-69117 Heidelberg, Germany), BC(Sterrenkundig  
Observatorium, Universiteit Gent, Krijgslaan 281, B-9000 Gent, Belgium),  
BD(International Centre for Radio Astronomy (ICRAR), University of  
Western Australia, Crawley, WA 6009, Australia)

**Publication:** Monthly Notices of the Royal Astronomical Society, Volume 462, Issue 2,  
p.1714-1734 ( [MNRAS Homepage](#) )

**Publication Date:** 10/2016

**Date:**

**Origin:** [OUP](#)

**Astronomy Keywords:** methods: statistical, catalogues, submillimetre: galaxies, submillimetre: stars

**Abstract Copyright:** 2016 The Authors Published by Oxford University Press on behalf of the  
Royal Astronomical Society

**DOI:** [10.1093/mnras/stw1654](#)

**Bibliographic Code:** [2016MNRAS.462.1714B](#)

### Abstract

This paper is the second in a pair of papers presenting data release 1 (DR1) of the Herschel Astrophysical Terahertz Large Area Survey (H-ATLAS), the largest single open-time key project carried out with the Herschel Space Observatory. The H-ATLAS is a wide-area imaging survey carried out in five photometric bands at 100, 160, 250, 350 and 500  $\mu\text{m}$  covering a total area of 600  $\text{deg}^2$ . In this paper, we describe the identification of optical counterparts to submillimetre sources in DR1, comprising an area of 161  $\text{deg}^2$  over three equatorial fields of roughly  $12 \times 4.5$  deg centred at  $9^{\text{h}}$ ,  $12^{\text{h}}$  and  $14^{\text{h}}$ , respectively. Of all the H-ATLAS fields, the equatorial regions benefit from the greatest overlap with current multi-wavelength surveys spanning ultraviolet (UV) to mid-infrared regimes, as well as extensive spectroscopic coverage. We use a likelihood ratio technique to identify Sloan Digital Sky Survey counterparts at  $r < 22.4$  for 250- $\mu\text{m}$ -selected sources detected at  $\geq 4\sigma$  ( $\approx 28$  mJy). We find 'reliable' counterparts (reliability  $R \geq 0.8$ ) for 44 835 sources (39 per cent), with an estimated completeness of 73.0 per cent and contamination rate of 4.7 per cent. Using redshifts and multi-wavelength photometry from GAMA and other public catalogues, we show that H-ATLAS-selected galaxies at  $z < 0.5$  span a wide range of optical colours, total infrared (IR) luminosities and IR/UV ratios, with no strong disposition towards mid-IR-classified active galactic nuclei in comparison with optical selection. The data described herein, together with all maps and catalogues described in the companion paper, are available from the H-ATLAS website at [www.h-atlas.org](#).

---

[Bibtex entry for this abstract](#)   [Preferred format for this abstract](#) (see [Preferences](#) )

---

Add this article to private library

Remove from private library

Submit corrections to this record

View record in ADS Bumblebee **NEW!**

---

### Find Similar Abstracts:

- Use:
- Authors
  - Title
  - Keywords (in text query field)
  - Abstract Text

Return:  Query Results

Query Form

Database:  Astronomy

Physics

arXiv e-prints

Return  items starting with number

Send Query

Reset

---