



## Article

# CORE assessment of adult survivors abused as children: A NAPAC group therapy evaluation

Lowe, M, Willan, Victoria Jane, Kelly, S, Hartwell, B and Canuti, E

Available at <http://clock.uclan.ac.uk/19500/>

*Lowe, M, Willan, Victoria Jane ORCID: 0000-0002-0023-7679, Kelly, S, Hartwell, B and Canuti, E (2017) CORE assessment of adult survivors abused as children: A NAPAC group therapy evaluation. Counselling and Psychotherapy Research, 17 (1). pp. 71-79. ISSN 1473-3145*

It is advisable to refer to the publisher's version if you intend to cite from the work.  
<http://dx.doi.org/10.1002/capr.12095>

For more information about UCLan's research in this area go to <http://www.uclan.ac.uk/researchgroups/> and search for <name of research Group>.

For information about Research generally at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the [policies](#) page.

Type of Therapy (% of Clients)




Figure 1: Percentage of Clients for Each Type of Therapy

Table 1

Table 1. Descriptive and Inferential Statistics for CORE Domain Scores at Three Stages of Therapy.

CORE	PRE-THERAPY		SESSION 6		POST-THERAPY		F (2, 48) =	P
	Mean	SD	Mean	SD	Mean	SD		
Wellbeing	20.5	9.0	21.2	8.6	17.0	6.6	F = 3.31	p = .045*
Functioning	16.7	10.0	17.9	9.4	14.0	6.6	F = 2.63	p = .082
Problems	20.4	9.0	20.2	9.4	15.9	6.8	F = 3.77	p = .030*
Risk	3.0	5.6	3.0	5.6	3.0	4.3	F = .00	p = 1.00
WFPR	16.9	7.7	17.6	7.1	14.0	5.5	F = 3.96	p = .037*
WFPR-Minus R	18.6	8.3	19.5	7.8	15.4	5.9	F = 4.37	p = .028*

Significant at  $p < .05$

Table 2

Table 2. Pre & Post Severity Ratings (Means & Standard Deviations) for Problems/Concerns Identified

IDENTIFIED PROBLEM	PRE-SEVERITY		POST-SEVERITY		t (df) p
	Mean	SD	Mean	SD	
Depression	3.14	.79	1.71	1.01	t = 5.25 (20) p < .001*
Anxiety/Stress	3.23	.69	1.68	1.04	t = 6.58 (21) p < .001*
Physical Problems	3.14	.69	1.43	1.13	t = 4.08 (6) p = .007*
Addictions	2.20	.79	1.10	.89	t = 11.00 (9) p < .001*
Trauma/Abuse	3.50	.66	2.04	.91	t = 6.26 (23) p < .001*
Bereavement/Loss	2.00	.67	1.20	.63	t = 4.00 (9) p = .003*
Self-Esteem	3.58	.50	2.04	.86	t = 8.11 (23) p < .001*
Interpersonal Relationships	3.11	.81	1.58	.90	t = 5.92 (18) p < .001*
Living/Welfare	3.71	.76	1.86	.90	t = 5.46 (6) p = .002*

Significant at p < .01

Table 3

Table 3. Descriptive Statistics for Males and Females Post-Therapy Outcomes

<b>THERAPY OUTCOMES</b>	<b>MALES</b>		<b>FEMALES</b>		<b>t (df) p</b>
	Mean	SD	Mean	SD	
<b><i>PROBLEM SEVERITY</i></b>					
Depression	1.00	.89	1.94	.90	t = 2.21 (21) p = .039*
Anxiety/Stress	1.17	.75	1.88	1.09	t = 1.50 (20) p = .160
Physical Problems	2.00	1.00	1.20	1.10	t = 1.03 (6) p = .343
Addictions	1.67	.58	.88	.90	t = 1.41 (8) p = .196
Trauma/Abuse	1.50	.84	2.22	.89	t = 1.76 (22) p = .092
Bereavement/Loss	1.50	.71	1.45	.82	t = .07 (11) p = .943
Self-Esteem	1.83	.75	2.11	.90	t = .68 (22) p = .505
Relationships	1.40	.55	1.64	1.01	t = .51 (17) p = .619
Living/Welfare	2.00	1.00	1.75	.96	t = .34 (5) p = .751
<b><i>CORE</i></b>					
Wellbeing	1.46	.55	1.79	.69	t = 1.13 (23) p = .272
Functioning	1.20	.47	1.48	.72	t = .98 (23) p = .338
Problems	1.47	.63	1.63	.71	t = .52 (23) p = .610
Risk	.21	.39	.33	.45	t = .61 (23) p = .548
WFPR	1.24	.42	1.46	.59	t = .92 (23) p = .367
WFP-Minus R	1.37	.48	1.60	.62	t = .91 (23) p = .374

\* Significant at  $p < .05$






Figure 2. Benefits of Therapy and Improvements in Psychological Functioning