

Central Lancashire Online Knowledge (CLoK)

Title	Effects of a prophylactic knee bracing on patellofemoral loading during cycling
Type	Article
URL	https://clock.uclan.ac.uk/23271/
DOI	https://doi.org/10.1007/s11332-018-0482-x
Date	2018
Citation	Sinclair, Jonathan Kenneth, Butters, Bobbie, Brooks, Darrell and Stainton, Philip (2018) Effects of a prophylactic knee bracing on patellofemoral loading during cycling. <i>Sport Sciences for Health</i> , 14. pp. 645-654. ISSN 1824-7490
Creators	Sinclair, Jonathan Kenneth, Butters, Bobbie, Brooks, Darrell and Stainton, Philip

It is advisable to refer to the publisher's version if you intend to cite from the work.
<https://doi.org/10.1007/s11332-018-0482-x>

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

Table 4: Muscle kinetics (Mean \pm SD) in females as a function of both brace condition and workload.

	<i>Female</i>												
	No-Brace						Brace						
	70RPM		80RPM		90RPM		70RPM		80RPM		90RPM		
	<i>Mean</i>	<i>SD</i>	<i>Mean</i>	<i>SD</i>	<i>Mean</i>	<i>SD</i>	<i>Mean</i>	<i>SD</i>	<i>Mean</i>	<i>SD</i>	<i>Mean</i>	<i>SD</i>	
Peak rectus femoris force (N/kg)	7.45	4.89	8.16	5.15	9.75	5.13	7.31	5.76	9.07	6.67	10.45	6.66	<i>A</i>
Rectus femoris integral (N/kg.s)	2.18	1.15	2.25	1.28	2.32	1.24	1.95	1.33	2.16	1.37	2.34	1.54	<i>B</i>
Peak vastus medialis force (N/kg)	3.25	2.47	4.98	5.88	5.14	5.88	3.03	2.97	4.18	5.34	5.23	6.30	<i>A B</i>
Vastus medialis integral (N/kg.s)	0.60	0.44	0.79	0.91	0.76	0.80	0.56	0.55	0.69	0.86	0.75	0.93	<i>B</i>
Peak vastus lateralis force (N/kg)	5.36	4.31	7.71	8.30	7.91	8.47	4.79	4.95	6.56	8.13	7.80	9.33	<i>A B</i>
Vastus lateralis integral (N/kg.s)	0.90	0.67	1.22	1.41	1.17	1.24	0.85	0.86	1.07	1.41	1.13	1.46	
Peak vastus intermedius force (N/kg)	2.97	2.18	4.61	5.63	4.80	5.69	2.79	2.58	3.87	4.85	4.99	6.30	<i>A B</i>
Vastus intermedius integral (N/kg.s)	0.58	0.43	0.75	0.87	0.72	0.77	0.54	0.52	0.66	0.80	0.72	0.91	<i>B</i>
Peak biceps femoris long head force (N/kg)	8.48	3.97	10.08	4.53	10.24	4.44	6.52	2.77	8.17	3.57	8.53	4.26	<i>A B</i>
Biceps femoris long head integral (N/kg.s)	1.57	0.77	1.69	0.85	1.68	0.90	1.33	0.74	1.49	0.83	1.47	0.91	<i>B</i>
Peak biceps femoris short head force (N/kg)	3.95	1.38	4.88	1.97	5.42	1.93	4.69	2.19	5.23	2.15	5.90	2.30	<i>A</i>
Biceps femoris short head integral (N/kg.s)	1.27	0.44	1.32	0.49	1.36	0.50	1.47	0.80	1.47	0.69	1.48	0.65	
Peak semimembranosus force (N/kg)	10.97	5.69	13.67	7.43	13.11	6.49	10.41	6.57	12.36	6.19	13.12	7.99	
Semimembranosus integral (N/kg.s)	1.96	1.31	2.10	1.23	1.99	1.19	1.92	1.32	1.94	1.11	1.93	1.15	
Peak semitendinosus force (N/kg)	1.11	1.22	1.28	1.40	1.35	1.42	1.16	1.37	1.32	1.49	1.67	1.64	
Semitendinosus integral (N/kg.s)	0.30	0.26	0.29	0.30	0.28	0.29	0.32	0.30	0.30	0.28	0.27	0.26	
Peak medial gastrocnemius force (N/kg)	2.80	2.30	3.02	2.32	3.40	2.78	3.92	3.39	3.80	2.03	3.79	2.52	
Medial gastrocnemius integral (N/kg.s)	0.98	0.78	0.86	0.57	0.84	0.62	1.09	0.87	0.95	0.41	0.85	0.46	
Peak lateral gastrocnemius force (N/kg)	1.25	0.71	1.27	0.86	1.46	1.13	1.42	0.94	1.49	1.19	1.49	0.93	
Lateral gastrocnemius integral (N/kg.s)	0.42	0.26	0.37	0.22	0.36	0.24	0.44	0.31	0.39	0.24	0.35	0.19	
Peak sartorius force (N/kg)	1.14	0.63	1.42	0.58	1.41	0.52	1.36	0.82	1.48	0.80	1.65	0.79	<i>A</i>
Sartorius integral (N/kg.s)	0.30	0.14	0.31	0.12	0.32	0.13	0.32	0.19	0.33	0.14	0.35	0.18	
Peak gracilis force (N/kg)	0.40	0.51	0.44	0.59	0.45	0.54	0.47	0.56	0.48	0.59	0.51	0.57	
Gracilis integral (N/kg.s)	0.11	0.10	0.10	0.09	0.09	0.09	0.12	0.14	0.11	0.10	0.09	0.08	

A = Main effect of WORKLOAD

B = Main effect of BRACE