

## Central Lancashire Online Knowledge (CLOK)

|          |   |
|----------|---|
| Title    | Exploring the factors influencing the use of electrically assisted bikes (e-bikes) by stroke survivors: A mixed methods multiple case study   |
| Type     | Article   |
| URL      | <a href="https://clock.uclan.ac.uk/id/eprint/34616/">https://clock.uclan.ac.uk/id/eprint/34616/</a>   |
| DOI      | <a href="https://doi.org/10.1080/09638288.2020.1817986">https://doi.org/10.1080/09638288.2020.1817986</a>   |
| Date     | 2020  |
| Citation | Boland, Paul, Connell, Louise, Thetford, Clare and Janssen, Jessica (2020) Exploring the factors influencing the use of electrically assisted bikes (e-bikes) by stroke survivors: A mixed methods multiple case study. Disability and Rehabilitation. ISSN 0963-8288 |
| Creators | Boland, Paul, Connell, Louise, Thetford, Clare and Janssen, Jessica   |

It is advisable to refer to the publisher's version if you intend to cite from the work.  
<https://doi.org/10.1080/09638288.2020.1817986>

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLOK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

# Exploring the factors influencing the use of electrically assisted bikes (e-bikes) by stroke survivors: A mixed methods multiple case study

## Abstract

**Purpose:** E-bikes have the potential to overcome some of the barriers that stroke survivors face with regards to physical activity. This study aims to explore the factors that affect e-bike usage by stroke survivors.

**Methods:** A mixed methods multiple case studies design, using semi-structured interviews and GPS data. Subject to GP approval, participants loaned an e-bike or e-trike for up to three months. Interviews were undertaken pre and post intervention. The COM-B behaviour change model acted as a framework for analysis. GPS data relating to journey duration and distance travelled was collected fortnightly.

**Results:** Six participants were recruited; only three loaned an e-bike/e-trike (with adaptations as required). Storage, being unable to get GP approval, and safety were withdrawal reasons. Level of impairment was a factor influencing the type of e-bike used, level of support required and the motivation of the participants.

**Conclusion:** Stroke survivors can use e-bikes although barriers exist. Electrical assistance was a positive factor in enabling some of the participants to cycle outdoors. Due to the small sample size and the number of participants who were able to loan an e-bike, further research is required to determine whether e-bikes are a feasible and effective intervention to increase physical activity for stroke survivors.

Keywords: Stroke; E-bikes; electrically assisted bikes; factors, physical activity, barriers, active transportation, active travel

## Introduction

The effects of stroke can have a major impact on mobility, affecting many activities of daily living (1), with over half of stroke survivors reporting restrictions to physical and outdoor activities one year after stroke (2). Systematic reviews have identified a mix of physical, environmental, social and motivational barriers to physical activity after stroke (3, 4). Barriers include: physical concerns around balance, fear of falling, and the effects of fatigue (4); environmental factors include a lack of transportation and other resources, such as the cost of participation (4); lack of social support from friends and family (3). Physical inactivity can reduce physical fitness, which can contribute to a sedentary lifestyle, thereby increasing the risk of a recurrent stroke and cardiovascular diseases (5). There is currently limited evidence regarding the effectiveness of interventions aimed at increasing physical activity in stroke survivors (6) which has led to calls for new, innovative approaches to the development of interventions (7, 8).

Cycling has the potential to be an outdoor form of physical activity for stroke survivors (9). Cycling is a popular method of aerobic exercise for stroke survivors with studies indicating that it can improve walking ability (10) aerobic fitness (11) and muscle strength in sub-acute and post-acute stroke survivors (12). Cycling is also a repetitive low weight-bearing exercise that incorporates the use of the affected side of the body (13, 14) and is seen as a solution for individuals who may have weak lower limbs and struggle with rehabilitation exercises aimed at developing walking ability e.g. treadmill exercise

(10-12, 15). However, research into cycling within stroke rehabilitation has been confined to indoor cycling using ergometer devices (10-12, 15), and outdoor cycling for stroke survivors has only recently begun to be explored (9).

Recent exploratory research has shown that stroke survivors value outdoor cycling as it improves their mood, increases independence and to feel part of a community (9). However, road safety, balance, adaptations, social support and not having the energy or strength to pedal are also challenges for stroke survivors (9). Electrically assisted bikes could provide a possible solution to some of these issues. Fitted with a battery and a motor, electrically assisted bikes (commonly referred to as e-bikes), provide electrical assistance when the user is pedalling, allowing the user to cover greater distances with minimal effort (16). There is growing evidence that e-bikes are an alternative form of physical activity for individuals with physical limitations or for those that live sedentary lifestyles (17-19). E-bikes can also have a positive impact on mental health and cognitive function (20) and are an enjoyable form of physical activity that provides autonomy and an opportunity to socialise (21, 22). E-bikes can be fitted with adaptations to help overcome the effects of a disability and are available as a tricycle version (e-trike) to overcome issues around balance (23). Recent studies have explored e-bike usage in relation to diabetes (22), and coronary artery disease (24) and are a popular mode of cycling for people with disabilities (25). Although some studies have included stroke survivors as participants (9, 22, 26), e-bike usage within the context of stroke has yet to be fully explored.

To understand whether e-bikes can be used as a method of physical and outdoor activity for stroke survivors, it is important to first understand the factors that affect their

use (27). In studies that have investigated factors affecting physical activity in the stroke population there is an increased emphasis on using behaviour change theory as a framework for analysis (5, 28-30). This analysis can then form the basis of intervention design (31). The COM-B model is a behaviour change model which has been used within a variety of health contexts, including stroke rehabilitation (28) and most recently within the development of an intervention to reduce sedentary behaviours in stroke survivors (32). Devised by Michie et al (31), the COM-B model is part of a broader framework (the Behaviour Change Wheel) and it proposes that for a behaviour to occur the individual must have both the psychological and physical capability (C), the physical and social opportunity (O), and finally they must be motivated (M; automatic and reflective). Despite criticism that some components of the BCW are not well defined (28), the COM-B model and the BCW have generally been regarded as a useful framework within intervention development (28, 32, 33).

The aims of this study were: 1) to qualitatively explore the factors that influence the use of e-bikes for stroke survivors, and 2) to quantitatively measure the utilisation of the e-bike by stroke survivors. To the best of the authors' knowledge this will also be the first study to explore both stroke survivors' perceptions of e-bikes and their actual experiences of using e-bikes.

## **Methods**

### ***Study Design***

The study used a mixed methods multiple case studies design (34) consisting of semi-structured interviews and global positioning system (GPS) data collected from e-

97 bikes.

## 98 ***Participants***

99 A volunteer sample were recruited from local stroke support groups and through  
100 contacts within the University of Central Lancashire's dedicated Stroke Research team.  
101 Participants were eligible to take part in the study if they had previously had a stroke,  
102 were able to walk (with or without assistance) and able to meet the visual function  
103 requirements relating to mobility scooters/powerful wheelchairs, which states individuals  
104 should be able to read a car's registration number from a distance of 12.3 metres (40 feet)  
105 (35). Participants needed sufficient command of spoken English language to allow them  
106 to participate in an interview, be over 18 years of age and, due to the limitations of the e-  
107 bike, they needed to weigh less than 127 kg. Participants were required to obtain written  
108 permission from their GP to loan the e-bike/e-trike, confirming that they did not have any  
109 visual, physical or cognitive impairments that would prevent them from its safe use. If  
110 they were unable to obtain this approval they were excluded from the practical element  
111 of the study.

## 112 ***Ethical Approval and Consent***

113 Ethical approval was received from the University of Central Lancashire (UCLan)  
114 STEMH Research Ethics Committee, and all participants provided written informed  
115 consent.

## 116 ***Data Collection***

117 Data were collected over three phases: pre-, during- and post-intervention,  
118 which included the loan of an e-bike or e-trike for up to three months.

## *Interviews*

Semi-structured interviews were carried out pre- and post-intervention. An interview schedule was developed pre-intervention using the COM-B model for guidance (31). For interviews conducted post-intervention a different interview schedule was shaped using both the COM-B model (31) and from responses from fortnightly conversations that took place with the participants during the intervention. These conversations identified if the participants required any additional support, what they were using the bike for, e.g. leisure activities, shopping etc, and to explore if any new factors had emerged. These conversations were recorded on a structured interview sheet, and later used to inform the structure and content of the post-intervention interviews for each participant. All interviews took place in the homes of the participants and were conducted by the same researcher (PB). Interviews were audio recorded and transcribed by PB. Any participants that withdrew from the study prior to the intervention but took part in the pre-intervention interviews gave consent to use their data in the analysis.

## *GPS Data*

GPS data were collected to assess e-bike use, support the interview data provided during- and post-intervention, and to overcome recall and social desirability bias. Each e-bike/e-trike was fitted with a LK209C GPS tracker made by LK-GPS which recorded movement in two-minute intervals. Data were accessed by one researcher (PB) and downloaded to an Excel spreadsheet every two weeks and the number and duration of journeys made during the intervention were calculated. A journey was deemed as a round-trip (from home-to-home), and only the time spent moving was recorded. Any breaks in the data during a journey, possibly as a result of resting, were not included in the overall journey time. ArcGIS Online (36) was then used to calculate approximate distance covered per

journey. The longitudinal and latitudinal coordinates for each journey were plotted on a map. From there the distance between each location was measured and the approximate distance was calculated, and visualized paths of each journey were captured. During the intervention, two participants (Jim and Rob) experienced technical difficulties with the GPS trackers and the first two weeks of their loan period were not recorded. There also were instances where the trackers failed to record portions of the journey being made meaning these journeys were not included in the final analysis.

### ***Intervention***

Following the pre-intervention interview and upon receiving GP approval, participants were provided with either an e-bike or e-trike (Figure 1). Over the course of two visits, participants were fitted and trained on the safe use of the e-bike/e-trike. Fitting was carried out by staff from a company that specialised in e-bikes, with two members of the research team present to provide support, should it be required. During the fitting stage, participants were assessed for whether they should use an e-bike or e-trike, and for any alterations that may be required to the brakes and pedals (Figure 2). The selected e-bike/e-trike was then built to the participant's specification and a second visit was arranged where the participant was trained on its use. Training was carried out by the same individuals from the e-bike company, with at least one member of the research team present. Participants were provided with a helmet and a bike lock, and each bike was fitted with a GPS tracker. Additional visits were arranged on an ad hoc basis.



## ***Data Analysis***

Audio recordings from the semi-structured interviews were anonymised, transcribed and imported into NVivo 11 for thematic analysis (37). Coding for the first pre-intervention interview was carried out by two members of the research team (PB and JJ) to ensure consistency. All remaining interviews were coded by one researcher (PB). The COM-B model was used as a framework for the analysis (38).

The GPS data were analysed in Excel and ArcGIS by PB. For each participant, number of journeys, time of journey and approximate distance were analysed descriptively, and Arc-GIS provided a visualised path for each journey.

## **Results**

### ***Case Descriptions***

Six male participants were recruited, but only three loaned an e-bike/e-trike during the study. All participants were given pseudonyms and a summary of each case study can be found in Table 1. Nine interviews were carried out in total, six pre-intervention, and three post-intervention. Analysis of the interviews identified a number of factors influencing the use of the e-bike by the stroke survivors.

### ***Cross-case Analysis***

The following are the results of a cross-case analysis from the GPS data, and the thematic analysis using the COM-B model as a framework.

The GPS data, post-intervention interviews, and telephone conversations during the intervention, revealed that the participants used the e-bike/e-trike to make a variety of short and long journeys (Table 2). Brian loaned an e-trike for 11 weeks, making seven journeys. Brian cycled predominantly when his son came to visit, when they would both cycle around the estate where he lived for an average time of 16 minutes, and an average distance of approximately 2.45km. Figure 3 provides a visualised path of the type of journey Brian was making.

Jim loaned an e-bike for eight weeks, the GPS tracker recorded 13 complete journeys. He used the bike for short journeys to make errands to local shops, but also longer journeys of up to 168 minutes covering approximately 45.9km. Figure 4 is an example of the type of journey Jim was able to make on the e-bike. Jim reported that he cycled as a leisure activity, shopping and for physical fitness. During the post-intervention interview Jim reported that he used his car to transport the e-bike to some locations and therefore his averages should be treated with caution.

Rob loaned an e-trike for eight weeks. The GPS trackers recorded three complete journeys in that time. Rob cycled primarily as a means of physical fitness. Journeys were short, with the longest distance being less than 2km. See Figure 5 for a visualised path of the sort of journey Rob was making. According to the post-intervention interview and from telephone conversations, Rob preferred to cycle on a disused car park away from busy roads. It should also be noted that Rob's wife cycled on the e-trike to and from this location, and therefore this data should be treated with caution.

## 209 *Interview Analysis*

210           The following is a summary of the factors identified by all the participants from  
211 the interviews carried out pre- and post-intervention, set within the framework of the  
212 COM-B model. Quotes are provided, and whether the participant was able to loan an e-  
213 bike/e-trike is highlighted in parenthesis.

### 214 *1.0 Physical Capability*

215 Factors relating to Physical Capability referred to the effects of stroke and how physical  
216 impairment impacted the participants ability to use the e-bike/e-trike as well as how it  
217 could help overcome fatigue.

#### 218 *1.1 Level of impairment*

219 Impairment to arms and legs was a factor in the type of e-bike the participants could use,  
220 with the most severely impaired participants (Rob and Brian) opting to use the e-trike due  
221 to issues around balance. Level of impairment was also a significant factor in the  
222 participants ability to cycle. Ismail, who had successfully been fitted for an e-trike had  
223 to withdraw from the study at the training stage because he was tensing up on his effected  
224 side whilst cycling. This meant he was constantly dragging the e-trike into the curb and  
225 because of this he not did feel safe cycling. Similarly, Rob's impairment meant he had  
226 to cycle one-handed:

227           “I feel totally 100% safe using the bike. It's just me, myself. It's me, really  
228           having one hand to steer and one to pull to the right all the time.” – Rob (e-trike)

229

230           During the loan period, Rob also experienced pain in his calf, as a result of the  
231 increased tone in Rob's foot muscles on his affected side which also prevented him from  
232 cycling for a period during the intervention.

233

## 234 1.2 Effect on fatigue

235 Before the intervention participants perceived that the e-bike could help

236 overcome post-stroke fatigue, a residual effect of stroke:

237 “...I don't have the same energy levels as normal. The thing about a stroke is

238 you soon get tired... The assistance from the electric will be good.” – Brian (e-

239 trike)

## 240 2.0 Psychological Capability

241 Psychological Capability refers to whether participants had the necessary knowledge

242 or awareness to carry out the behaviour (31). For the participants this was primarily

243 in relation to participants having misconceptions about how the e-bike works.

### 244 2.1 Misconceptions about the e-bike

245 In the post-intervention interviews, both Brian and Jim (experienced cyclists

246 before their strokes) described how they thought that the e-bike would operate in a similar

247 way to a mobility scooter and that it would not require constant pedalling to operate.

248 “I thought it would have been motorized but I realized now with having it a while

249 that you've got to put a certain amount of effort in to in to have it moving.” – Brian

250 (e-trike)

251

## 252 3.0 Physical Opportunity

253 Physical Opportunity related to factors concerning the e-bike itself, the

254 adaptations required, in addition to environmental factors that effected the participants

255 use of the e-bike.

### 3.1 The e-bike/e-trike

Battery life and the additional weight of the e-bike were mentioned as an area for concern by one of the participants who reported that the battery ran out whilst out on a long journey:

“[The battery running out] didn't cause me any problems other than the bike is quite heavy to cycle compared with an ordinary bike without any electrical assist... It cuts out pretty acutely.” – Jim (e-bike)

### 3.2 The electrical assistance

The electrical assistance provided by the e-bike/e-trike was mostly seen as a benefit, giving the participants the confidence to cycle further for longer without feeling tired, and manage different gradients, safe in the knowledge that they could get home again.

“I think what the electric cycle does, it gives you the confidence to go further and stay out for longer.” – Jim (e-bike)

However, it should also be noted, due to the increased speed of the e-bike/e-trike, participants were only comfortable using a certain level of assistance, and because one of the participants (Rob) was cycling one-handed, he preferred to not use the electrical assistance at all as he deemed it too fast for him.

“I just feel that the assistance could be a bit too fast, especially when I hit a hill [or] slope. I just get nervous then.” – Rob (e-trike)

### 3.3 Adaptations

Adaptations to the e-trike enabled participants with impairments to their arms and legs to cycle although there were advantages and disadvantages to the adaptations used.

282 The adaptations to the brakes allowed both brakes to be used simultaneously by the  
283 participant's least effected side and were seen as a benefit. However, the adaptations to  
284 the pedals required assistance from a member of the family to get on and off the bike  
285 which was a challenge for Rob.

286 "I couldn't see that foot because [my wife] was saying "you're on my hands!" but  
287 I just couldn't see it to get into the strap." – Rob (e-trike)

288

289 Brian, who uses an adapted cycle as part of his leisure and fitness activities at a  
290 local running track, which requires him to be strapped in, was able to adapt himself whilst  
291 using the e-trike without using adapted pedals which he felt was important to him as he  
292 did not like being strapped into a bike:

293 "It's probably a good thing I didn't use an adapter because I've adapted myself to  
294 do it, so it's been good... When I arrived at the [running track], [the instructor]  
295 straps my foot on, but I don't like that, I don't like being strapped on. At least with  
296 this bike on my own I can manage, I can get on and get off, no problem. But  
297 you're strapped, you know, you need somebody to undo the strap although I do  
298 undo it myself...Subconsciously you think about it, you think if anything would  
299 happen." – Brian (e-trike)

300

### 301 3.4 Environmental factors

302 Pre-intervention, all the participants had expectations of using the e-bike to access  
303 amenities such parks, shops, and places of physical activity. However, the two  
304 participants who were most severely impaired preferred to cycle more locally, either  
305 around the estate where he lived progressing slowly, accompanied by a family member  
306 (Brian) or cycling around a disused car park away from busy roads (Rob). Additionally,

when Rob visited his local park, he felt that the uneven paths were unsafe to cycle on. Storage of the e-bike was also a determining environmental factor for Ken. Ken felt that his outdoor shed was not a secure place to store an e-trike and due to the size of the e-trike and his small living space it would not have been feasible for Ken to be able to store one in his home and therefore withdrew from the study.

### *3.0 Social Opportunity*

Social support from family members, and the prospect of using the e-bike to socialise were important factors relating to Social Opportunity. Despite, mostly positive reactions from family members, not everyone was encouraging, and one participant felt there was a stigma attached to using an e-bike.

#### *4.1 Social Support*

Social support from family members played an integral role in the participants in enabling participants to use an e-bike/e-trike. Pre-intervention, family members provided encouragement to cycle and during the intervention, one participant (Rob) was reliant on his wife to help him mount and dismount the e-trike and cycle to a safe location.

“Well yeah, my son was encouraging me to get a bike.” – Brian (e-trike)

However, not all family members provided encouragement and Ken’s family members did not feel he was physically capable.

“I’ve told my sons and my granddaughter, my grandsons. One of them didn’t think it won’t be a good idea [laughs] to be honest... He said, ‘I just don’t think you’ll be able to manage it.’” – Ken (no loan)

During the pre-intervention stage, the opportunity to socialise was seen as an important factor for wanting to use the e-bike by many of the participants.

“And also, I shall probably use it in social situations such as visiting the coffee shop and all the rest of it.” – Tim (no loan)

Although it should be noted here that Tim had to withdraw from the study because his GP would not give the written approval, he needed to loan the e-bike. The reason for this was not given to the participant.

## 4.2 Stigma

None of the participants who loaned an e-bike/e-trike cycled as part of a group. When asked about this, one of the participants felt there was a social stigma attached to using e-bikes by other cyclists:

“Think compared with those people who are avid cyclists on road bikes they’re seen as something outside of their circle...I think they probably don't see it as serious cycling...I think there's a lot of ignorance, in fact you do have to pedal it's not like a mobility scooter that you can just twist and go, you know?” - Jim (e-bike)

## 5.0 *Reflective Motivation*

Reflective motivation related to motivational factors for wanting to use the e-bike, these focused on belief in capability, a belief that the e-bike was a good form of exercise, it allowed them to return to a previous activity, was a goal to achieve and a way of gaining increasing independence.



## 5.1 Belief in capability

Belief in capability often refers to the participants' feelings regarding their own abilities and the control they have over their physical activity, which can be influenced by people around them, usually family members (29). Within this study there were examples of family members doubting the participants' capabilities, but also there was an example of a participant (Brian) having great belief in his own ability, while family members were concerned about him cycling on his own. As a compromise, Brian cycled primarily when his son came to visit, which eased the fears that his family had and also provided Brian with a companion to cycle with.

“My son comes with me. He's a keen cyclist. So, he's really been a godsend because I would have gone on my own, but you know people don't seem to think I'm safe [laughs]” – Brian (e-trike)

## 5.2 The e-bike is a form of physical activity

All the participants identified that the e-bike was a form of physical activity which could improve their fitness and mobility.

“It's a brilliant idea because you're getting the exercise as well. Which is what you want it for isn't it really?” – Brian (e-trike)

## 5.3 Increase independence

The participants recognised that using the e-bike was an outdoor activity that would allow them to “get out and about” and gain some independence and possibly relieve the burden placed on friends and family to provide a form of transport.

“The freedom. The freedom to go wherever I want to go and do what I want.” – Ken (no loan)

376 “[The e-bike] will actually help me because to ask my friend to come and collect  
377 me here it’s... I wouldn’t say he doesn’t mind but it’s a bit inconvenient for him.  
378 So, if I can make my own way, the better yeah.” – Tim (no loan)

379

#### 380 5.4 Return to a previous activity

381 Pre-intervention, participants saw using the e-bike as an opportunity to return to  
382 a previous activity that they had enjoyed prior to their stroke.

383 “It wouldn’t bother me at all, it would be like being normal. Bikes and cars, I’m  
384 just normal.” – Brian (e-trike)

385

#### 386 5.5 A goal to achieve

387 For the participants, the use of an e-bike was identified as a possible continuation  
388 of their rehabilitation and as a goal to achieve:

389 “And it’s a goal, you know, all these things are goals, the bike’s been a good one  
390 though from day one getting back to that.” – Brian (e-trike)

392

393

#### 394 6.0 Automatic Motivation

395 Factors identified as being linked to Automatic Motivation were regarding  
396 emotional reactions to using the e-bike with participants experiencing contrasting feelings  
397 at various stages of the study.

#### 398 6.1 Cycling as an enjoyable activity

399 Prior to the intervention, most of the participants perceived that they would find  
400 using the e-bike an enjoyable activity, which was an outcome expressed by those that

were able to use the e-bike/e-trike. One participant (Jim) was also encouraged to purchase an e-bike as a result his experience.

“I’ve just gone out to enjoy riding and I’ve done that. You know, I’ve just enjoyed it. We’ve come back, and we’ve put it back in the garage and I’m not tired and I’m not out of breath and I don’t want to lie down.” – Brian (e-trike)

“I think now having used one I think yeah, you know, I like this. And I think I’d use it enough to justify the expense or spend on an e-bike. It’s not exactly a fortune, you know but it is something I would enjoy doing.’ – Jim (e-bike)

## 6.2 Fear

Fear of bumping into things and feeling unsafe were experienced by some of the participants. As mentioned above, Ismail withdrew from the study because he did not feel safe using the e-bike due to how his impairment effected his ability to cycle. In addition to feeling nervous using the electrical assistance, Rob also remarked about how he did not feel confident cycling on the street due to a fear of bumping into things:

“I tend to stay off the street because my confidence isn't brilliant on the street. It's down to my own confidence, yeah being out on the street cos I don't want to bump into cars...” – Rob (e-trike)

## Summary

The participants identified several interconnected factors that influenced their use of an e-bike/e-trike as illustrated by Figure 6. Level of impairment, social support, motivation, environmental factors and the e-bike itself were all independent or connected

factors for the participants. For example, level of impairment affected the choice of e-bike, the level of support required, confidence and where participants could travel.

## **Discussion**

This study explored the factors that influenced the use of e-bikes by stroke survivors. The aims were: 1) to qualitatively explore the factors that influence the use of e-bikes for stroke survivors, and 2) to quantitatively measure the utilisation of the e-bike by stroke survivors. At the time of writing it was the first study to investigate both the perceptions and actual experiences of loaning an e-bike or e-trike by stroke survivors. Of the six participants that took part in the pre-intervention stage, only three went on to loan an e-bike/e-trike. Despite the small sample, the participants identified a variety of factors that both influenced e-bike usage and enabled us to explore the barriers to participation experienced by those who withdrew.

The three participants who loaned an e-bike/e-trike were able to cycle outdoors, although only two participants cycled using the electrical assistance. For these individuals, they reported they felt it gave them the confidence to cycle further for longer which is a significant benefit of using e-bikes (21, 39, 40). Although, it should be noted that the longest journeys were made by the least impaired participant, who required no adaptations and support. Despite being able to use the e-trike to cycle outdoors, the fact that one participant preferred to cycle without the use of the electrical assistance does raise concerns about whether e-bikes/e-trikes are suitable for everyone.

Level of impairment was a significant factor affecting the choice of e-bike, with the most severely impaired participants having to use the e-trike, which concurs with

previous studies where balance is an issue (9, 23). However, the increased size and weight of the e-trike proved a significant barrier for one of the participants, who withdrew from the study because he was unable to store the e-trike in his home. The added weight of the e-bike in general is a commonly cited barrier for e-bike users, along with battery life (21, 39, 40), which was also a concern for one of the participants.

Adaptations aided the two participants with the most severe impairments to use the e-trike. However, the use of pedal adaptations proved to be problematic, requiring assistance by a family member to mount and dismount the e-trike, while another participant spoke of wariness about being strapped in. These findings match those of Greenhalgh et al (9) who also reported that adaptations designed to overcome disability were a cause of anxiety or risk of falls for stroke survivors using adapted cycles. Currently, research into adaptations to e-bikes is limited to one study involving young people with cerebral palsy (41). Stroke survivors experience a diverse range of impairments, requiring an individually tailored approach. This could be an avenue for e-bike manufacturers to explore in future research, not only be in terms of how to adapt an e-bike for the stroke population, but also with regards to the specifics of the e-bike e.g. a lighter frame and longer battery life.

Social support played an important role in enabling the most severely impaired participants to cycle and was a motivating factor. Family members encouraged use of the e-bike, assisted in mounting and dismounting the e-trike, and acted as a companion to cycle with. In addition, during the pre-intervention stage participants also saw the e-bike as an opportunity to socialise and relieve the pressure on relatives to provide a mode of transport. This finding adds to the evidence that social support is important in influencing

physical activity in stroke survivors (3, 4) but also that e-bikes can facilitate social interactions and a sense of belonging for those with mobility restrictions (9, 23).

This study also highlighted the common impression that there is a stigma attached to using e-bikes (18, 21, 23, 26, 39). It was perceived by one of the participants that using the e-bike may not be seen as real cycling by other cycle enthusiasts. In this case it did not discourage them from cycling but has been identified as an area for concern in research focusing on older cyclists (23). Similarly, there was also a misconception about how the e-bike works and the need to constantly pedal, making it distinct from mobility aids. Other research has also reported misconceptions around how e-bikes operate which has been attributed to a lack of knowledge (21, 23, 26, 38), which could also explain social stigma. It should also be noted that a reason for one of the participants withdrawing from the study was due to being unable to gain GP approval. Reason for this was not provided, although it may have been due these misconceptions or a lack of knowledge. Given that the endorsement from healthcare providers is an important factor in increasing physical activity participation in stroke patients (42) future research may investigate the perceptions of healthcare professionals, whether they understand that e-bikes can provide both cognitive and physical benefits (20) and could possibly act as a tool to aid rehabilitation.

Several motivating factors encouraged the use of the e-bike/e-trike. Achieving a goal, returning to a previous activity that was enjoyed prior to stroke and increased independence were all positive factors, which have been attributed to greater engagement in physical activity within the stroke population (3, 9, 43). However, there were also concerns around fear of bumping into things and a belief among family members that the

participants were not safe cycling despite having confidence in their own ability. These factors have been associated with reduced self-efficacy and an inability to take control of one's behaviour, affecting levels of physical activity post-stroke (44).

### ***Strengths and Limitation***

To the best of the authors' knowledge this was the first study to explore the factors affecting the use of e-bikes by stroke survivors, utilising a method that allowed for the collection of data both on their perceptions and actual experiences. The unique properties of the study and its participants meant we encountered issues around public liability insurance and ethics which necessitated the requirement for GP approval. This in turn had an unexpected impact on participation.

The small sample of volunteers was self-selected, consisting of stroke survivors who were motivated to use an e-bike, and therefore these findings are not generalisable to the general stroke population. However, due to the exploratory nature of the study, a large sample was unnecessary. Despite the small sample size, the inclusion of six participants from the outset meant that unlike many studies, we were able to explore real barriers.

During the intervention, which took place between May 2018 – Aug 2018, the UK experienced unusually high temperatures which affected how often the participants wanted to cycle. There were also other periods when they were not cycling, such as during holidays. Other limitations concerned the GPS trackers. Technical issues meant that data for the first two weeks of the intervention was not collected for two of the three

participants, also data for some trips was not recorded and therefore not included in the analysis. Several e-bike studies have also experienced problems using GPS trackers (45-47) and a possible alternative could be via the use of video observation and biographical interviews as methods of data collection as used by Jones and colleagues for the *cycleBoom* project which also included a participant who had previously had a stroke (26). Finally, this study did not explore all the different types of e-bikes and adaptations that are available, and some participants may have benefitted from these.

## **Conclusion**

In conclusion, although a limited sample, this study shows that stroke survivors can use e-bikes and e-trikes, however it highlighted a number of barriers they may encounter with regards to cycling outdoors. The assistance provided by the e-bike was a positive factor in enabling the participants to cycle. However, level of impairment, social support and motivation were all significant factors and e-bikes may not be accessible or suitable for everyone.

## **Acknowledgments**

We would like to thank the participants who participated in this study and Ian Gibbs at I-Cycle Electric (1 North Street, Clitheroe, BB7 1PG) who provided training and technical support throughout this study. This research is part funded by the National Institute for Health Research Applied Research Collaboration North West Coast (NIHR ARC NWC). The views expressed are those of the author(s) and not necessarily those of the National Institute for Health Research or the Department of Health and Social Care.



## Declaration of Interest

No potential conflict of interest was reported by the authors.

**Word Count:** 5948

## References

1. Kim K, Kim YM, Kim EK. Correlation between the Activities of Daily Living of Stroke Patients in a Community Setting and Their Quality of Life. *J Phys Ther Sci*. 2014;26(3):417-9.
2. de Graaf JA, van Mierlo ML, Post MWM, Achterberg WP, Kappelle LJ, Visser-Meily JMA. Long-term restrictions in participation in stroke survivors under and over 70 years of age. *Disability and Rehabilitation*. 2018;40(6):637-45.
3. Morris J, Oliver T, Kroll T, Macgillivray S. The importance of psychological and social factors in influencing the uptake and maintenance of physical activity after stroke: a structured review of the empirical literature. *Stroke Res Treat*. 2012;2012:195249-.
4. Nicholson S, Sniehotta FF, van Wijck F, Greig CA, Johnston M, McMurdo MET, et al. A Systematic Review of Perceived Barriers and Motivators to Physical Activity after Stroke. 2013;8(5):357-64.
5. Outermans J, Pool J, van de Port I, Bakers J, Wittink H. What's keeping people after stroke from walking outdoors to become physically active? A qualitative study, using an integrated biomedical and behavioral theory of functioning and disability. *BMC Neurol*. 2016;16(1):137-.
6. Aguiar LT, Martins JC, Nadeau S, Britto RR, Teixeira-Salmela LF, Faria CDCM. Efficacy of interventions to improve physical activity levels in individuals with stroke: a systematic review protocol. 2017;7(1):e012479.
7. Morris JH. Body, Person and Environment: Why Promoting Physical Activity (PA) with Stroke Survivors Requires Holistic Thinking. *Brain Impairment*. 2016;17(1):3-15.
8. Pollock A, Baer G, Campbell P, Choo PL, Forster A, Morris J, et al. Physical rehabilitation approaches for the recovery of function and mobility following stroke. *Cochrane Database Syst Rev*. 2014;2014(4):CD001920-CD.
9. Greenhalgh O, McMahon NE, Gaskins N, Khan A, Frings M, Janssen J, et al. An exploration of stroke survivors' perspectives on cycling and the use of electric bikes. *Physiotherapy Practice and Research*. 2019;40(2):117-26.
10. Pang MYC, Charlesworth SA, Lau RWK, Chung RCK. Using Aerobic Exercise to Improve Health Outcomes and Quality of Life in Stroke: Evidence-Based Exercise Prescription Recommendations. *Cerebrovascular Diseases*. 2013;35(1):7-22.
11. Vanroy C, Feys H, Swinnen A, Vanlandewijck Y, Truijen S, Vissers D, et al. Effectiveness of Active Cycling in Subacute Stroke Rehabilitation: A Randomized Controlled Trial. *Archives of Physical Medicine and Rehabilitation*. 2017;98(8):1576-85.e5.
12. Ferrante S, Pedrocchi A, Ferrigno G, Molteni F. Cycling induced by functional electrical stimulation improves the muscular strength and the motor control of

- individuals with post-acute stroke. *Europa Medicophysica-SIMFER* 2007 Award Winner. *European journal of physical and rehabilitation medicine*. 2008;44:159-67.
13. Hancock NJ, Shepstone L, Rowe P, Myint PK, Pomeroy V. Clinical efficacy and prognostic indicators for lower limb pedalling exercise early after stroke: Study protocol for a pilot randomised controlled trial. *Trials*. 2011;12(1):68.
  14. Sibley K, Tang A, Brooks D, Brown D, McIlroy W. Feasibility of Adapted Aerobic Cycle Ergometry Tasks to Encourage Paretic Limb Use After Stroke: A Case Series. *Journal of neurologic physical therapy : JNPT*. 2008;32:80-7.
  15. Barbosa D, Santos CP, Martins M. The Application of Cycling and Cycling Combined with Feedback in the Rehabilitation of Stroke Patients: A Review. *Journal of Stroke and Cerebrovascular Diseases*. 2015;24(2):253-73.
  16. Fishman E, Cherry C. E-bikes in the Mainstream: Reviewing a Decade of Research. *Transport Reviews*. 2016;36(1):72-91.
  17. Bourne JE, Sauchelli S, Perry R, Page A, Leary S, England C, et al. Health benefits of electrically-assisted cycling: a systematic review. *International Journal of Behavioral Nutrition and Physical Activity*. 2018;15(1):116.
  18. Dill J, Rose G. Electric bikes and transportation policy. *Transportation Research Record*. 2012;2314(2314):1-6.
  19. Louis J, Brisswalter J, Morio C, Barla C, Temprado J-J. The Electrically Assisted Bicycle: An Alternative Way to Promote Physical Activity. 2012;91(11):931-40.
  20. Leyland L-A, Spencer B, Beale N, Jones T, Van Reekum CM. The effect of cycling on cognitive function and well-being in older adults. *PLOS ONE*. 2019;14(2):e0211779.
  21. Jones T, Harms L, Heinen E. Motives, perceptions and experiences of electric bicycle owners and implications for health, wellbeing and mobility. *Journal of Transport Geography*. 2016;53:41-9.
  22. Searle A, Ranger E, Zahra J, Tibbitts B, Page A, Cooper A. Engagement in e-cycling and the self-management of type 2 diabetes: a qualitative study in primary care. 2019;3(2):bjgpopen18X101638.
  23. Leger SJ, Dean JL, Edge S, Casello JM. "If I had a regular bicycle, I wouldn't be out riding anymore": Perspectives on the potential of e-bikes to support active living and independent mobility among older adults in Waterloo, Canada. *Transportation Research Part A: Policy and Practice*. 2019;123:240-54.
  24. Hansen D, Soors A, Deluyker V, Frederix I, Dendale P. Electrical support during outdoor cycling in patients with coronary artery disease: impact on exercise intensity, volume and perception of effort. *Acta cardiologica*. 2018;73(4):343-50.
  25. Wellbeing Wf. Experiences of disabled cyclists – 2017 survey. 2017.
  26. Jones T, Chatterjee, K., Spinney, J., Street, E., Van Reekum, C., Spencer, B., Jones, H., Leyland, L.A., Mann, C., Williams, S. & Beale, N. cycle BOOM. Design for Lifelong Health and Wellbeing. Summary of Key Findings and Recommendations. Oxford Brookes University, UK; 2016.
  27. Morris JH, Oliver T, Kroll T, Joice S, Williams B. From physical and functional to continuity with pre-stroke self and participation in valued activities: A qualitative exploration of stroke survivors', carers' and physiotherapists' perceptions of physical activity after stroke. *Disability and Rehabilitation*. 2015;37(1):64-77.
  28. Connell LA, McMahon NE, Redfern J, Watkins CL, Eng JJ. Development of a behaviour change intervention to increase upper limb exercise in stroke rehabilitation. *Implementation Science*. 2015;10(1):34.

29. Nicholson SL, Donaghy M, Johnston M, Sniehotta FF, van Wijck F, Johnston D, et al. A qualitative theory guided analysis of stroke survivors' perceived barriers and facilitators to physical activity. *Disability and Rehabilitation*. 2014;36(22):1857-68.
30. Walker MF, Hoffmann TC, Brady MC, Dean CM, Eng JJ, Farrin AJ, et al. Improving the development, monitoring and reporting of stroke rehabilitation research: Consensus-based core recommendations from the Stroke Recovery and Rehabilitation Roundtable. 2017;12(5):472-9.
31. Michie S, Atkins, L., & West, R. *The Behaviour Change Wheel: A Guide to Designing Interventions*. Great Britain: Silverback Publishing; 2014.
32. Hall J, Morton S, Hall J, Clarke DJ, Fitzsimons CF, English C, et al. A co-production approach guided by the Behaviour Change Wheel to develop an intervention for reducing sedentary behaviour after stroke. 2020.
33. Al-Rawahi S, Newton J, Asimakopoulou K, Masood M, Bulushi N, Yaqoobi K. The Psychological Models of Health-related Behavior in Understanding Sugars Intake in Adults: A Review. *Oman medical journal*. 2019;35.
34. Baxter P, Jack S. *Qualitative Case Study Methodology: Study Design and Implementation for Novice Researchers*. Qualitative Report. 2010;13.
35. Gov.uk. Mobility scooters and powered wheelchairs: the rules N.D [Available from: [www.gov.uk/mobility-scooters-and-powered-wheelchairs-rules/eyesight-requirements](http://www.gov.uk/mobility-scooters-and-powered-wheelchairs-rules/eyesight-requirements)]
36. ArcGIS. 2020 [Available from: <https://www.arcgis.com/index.html>].
37. Braun V, Clarke V. Using thematic analysis in psychology. *Qualitative Research in Psychology*. 2006;3(2):77-101.
38. Fyhri A, Heinen E, Fearnley N, Sundfør HB. A push to cycling—exploring the e-bike's role in overcoming barriers to bicycle use with a survey and an intervention study. *International Journal of Sustainable Transportation*. 2017;11(9):681-95.
39. Popovich N, Gordon E, Shao Z, Xing Y, Wang Y, Handy S. Experiences of electric bicycle users in the Sacramento, California area. *Travel Behaviour and Society*. 2014;1(2):37-44.
40. Van Cauwenberg J, De Bourdeaudhuij I, Clarys P, de Geus B, Deforche BJT. E-bikes among older adults: benefits, disadvantages, usage and crash characteristics. 2019;46(6):2151-72.
41. Blumenstein T, Zeitlmann H, Alves-Pinto A, Turova V, Lampe R. Optimization of electric bicycle for youths with disabilities. *Springerplus*. 2014;3:646-.
42. Prior PL, Suskin N. Exercise for stroke prevention. *Stroke and Vascular Neurology*. 2018;3(2):59.
43. Resnick B, Michael K, Shaughnessy M, Kopunek S, Nahm ES, Macko RF. Motivators for treadmill exercise after stroke. *Top Stroke Rehabil*. 2008;15(5):494-502.
44. Brouwer-Goossensen D, Genugten Lv, Lingsma H, Dippel D, Koudstaal P, Hertog Hd. Determinants of intention to change health-related behavior and actual change in patients with TIA or minor ischemic stroke. *Patient Education and Counseling*. 2016;99(4):644-50.
45. Cooper AR, Tibbitts B, England C, Procter D, Searle A, Sebire SJ, et al. Potential of electric bicycles to improve the health of people with Type 2 diabetes: a feasibility study. *Diabetic Medicine*. 2018;35(9):1279-82.
46. Hoj TH, Bramwell JJ, Lister C, Grant E, Crookston BT, Hall C, et al. Increasing Active Transportation Through E-Bike Use: Pilot Study Comparing the Health Benefits, Attitudes, and Beliefs Surrounding E-Bikes and Conventional Bikes. *JMIR Public Health and Surveillance*. 2018;4(4):e10461.

47. Malnes L LS, Bere E, Tjelta LI, Kristoffersen M, Mildestvedt T, et al. How access to an E-bike affects bicycle use and cardiopulmonary fitness in inactive Norwegian adults: A pilot study. [Master's Thesis] In Press 2016. 2016.

#### Figure Captions

Figure 1: The e-trike used by the participants

Figure 2: The adaptations available to the stroke survivors. From left to right - repositioned breaks that could be operated simultaneously by the least effected side, a self-levelling pedal with ankle support, and a pedal with a strap attached

Figure 3: A visualised path of the type of journey Brian was making using the e-trike.

Figure 4: A visualised path of the type of journey Jim was making using the e-bike.

Figure 5: A visualised path of the type of journey Rob was able to make using the e-trike.

Figure 6: Interconnecting factors identified by the stroke survivors

705 Table 1: Demographic information by case

| Participants | Age (yrs) | First Stroke | Time since stroke occurred (months) | Current methods of physical activity                         | Living alone or with a partner | Able to loan an e-bike (Y/N) | E-bike or e-trike | Adaptations       | Reason for withdrawal               |
|--------------|-----------|--------------|-------------------------------------|--|--------------------------------|------------------------------|-------------------|-------------------|-------------------------------------|
| Brian        | 72        | Yes          | 30                                  | Walking, going to the gym and cycling using an adapted cycle | Partner                        | Y                            | e-trike           | Brakes            | -                                   |
| Ken          | 64        | No           | 72                                  | Fishing  | Alone                          | N                            | -                 | -                 | Lack of storage space               |
| Jim          | 63        | Yes          | 1                                   | Walking his dog  | Partner                        | Y                            | e-bike            | None              | -                                   |
| Rob          | 56        | Yes          | 40                                  | Walking and attending exercise classes twice a week          | Partner                        | Y                            | e-trike           | Brakes and pedals | -                                   |
| Ismail       | 65        | Yes          | 36                                  | Walking  | Alone                          | N                            | -                 | -                 | Did not feel safe using the e-trike |
| Tim          | 55        | Yes          | 5                                   | Walking  | Alone                          | N                            | -                 | -                 | Could not get GP approval           |

706

707

708

709

710 Table 2: Journey details for the participants who loaned an e-bike/e-trike.

| <b>Participants</b>                   | <b>Brian</b> | <b>Jim</b> | <b>Rob</b> |
|---------------------------------------|--------------|------------|------------|
| Number of weeks loan                  | 11           | 8          | 8          |
| Number of completed journeys recorded | 7            | 13         | 3          |
| Mean average Journey Length (min)     | 16           | 48         | 27         |
| Min Journey Length (min)              | 10           | 6          | 22         |
| Max Journey Length (min)              | 22           | 168        | 32         |
| Average distance (km)                 | 2.45         | 13.97      | 1.68       |
| Min journey distance (km)             | 1.68         | 1.43       | 1.36       |
| Max journey distance (km)             | 3.33         | 45.9       | 1.89       |

711