



## Article

# Effect of mood on long-term disability in younger stroke survivors: results from the Psychosocial Outcomes In StrokeE (POISE) study

Liang, C., Van Laar Verth, A.J., Li, Q, Zheng, D. and Hackett, Maree

Available at <http://clock.uclan.ac.uk/37997/>

*Liang, C., Van Laar Verth, A.J., Li, Q, Zheng, D. and Hackett, Maree ORCID: 0000-0003-1211-9087 (2022) Effect of mood on long-term disability in younger stroke survivors: results from the Psychosocial Outcomes In StrokeE (POISE) study. Topics in Stroke Rehabilitation, 29 (4). pp. 286-294. ISSN 1074-9357*

It is advisable to refer to the publisher's version if you intend to cite from the work.

<http://dx.doi.org/10.1080/10749357.2021.1922802>

For more information about UCLan's research in this area go to <http://www.uclan.ac.uk/researchgroups/> and search for <name of research Group>.

For information about Research generally at UCLan please go to

<http://www.uclan.ac.uk/research/>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the [policies](#) page.

**SUPPLEMENTAL MATERIAL**

**Effect of mood on long-term disability in younger stroke survivors: results from the Psychosocial Outcomes In Stroke (POISE) study**

**Supplementary Table 1. Correlation between anxiety and depression and disability at 1 month, 6 months, and 12 months<sup>a</sup>**

	Timepoint	Cognition	Mobility	Self-care	Getting Along	Life Activities	Participation	WHODAS 2.0 score
<b>Anxiety</b> (HADS-A score 8-21)	1 month	0.43	0.32	0.19	0.42	0.18	0.48	0.44
	6 months	0.46	0.42	0.29	0.40	0.35	0.51	0.53
	12 months	0.49	0.30	0.25	0.42	0.28	0.50	0.50
<b>Depression</b> (HADS-D score 8-21)	1 month	0.50	0.50	0.41	0.57	0.46	0.62	0.66
	6 months	0.45	0.49	0.40	0.62	0.51	0.66	0.67
	12 months	0.55	0.45	0.35	0.66	0.50	0.67	0.70

HADS-A indicates Hospital Anxiety and Depression Scale – Anxiety Subscale; HADS-D, Hospital Anxiety and Depression Scale – Depression Subscale

<sup>a</sup> Adjusted for age, sex, and Glasgow Coma Scale score at presentation. *p*-value < 0.01 for all Pearson’s correlation tests