

Central Lancashire Online Knowledge (CLoK)

Title	Reduced CD4 T Lymphocytes in Lymph Nodes of the Mouse Model of Autism Induced by Valproic Acid
Type	Article
URL	https://clock.uclan.ac.uk/24078/
DOI	##doi##
Date	2018
Citation	Baronio, Diego, Bauer-Negrini, Guilherme, Castro, Kamila, Della-Flora Nunes, Gustavo, Riesgo, Rudimar, Mendes-da-Cruz, Daniella Arêas, Savino, Wilson, Gottfried, Carmem and Bambini-Junior, Victorio orcid iconORCID: 0000-0002-8590-6770 (2018) Reduced CD4 T Lymphocytes in Lymph Nodes of the Mouse Model of Autism Induced by Valproic Acid. Neuroimmunomodulation . ISSN 1021-7401
Creators	Baronio, Diego, Bauer-Negrini, Guilherme, Castro, Kamila, Della-Flora Nunes, Gustavo, Riesgo, Rudimar, Mendes-da-Cruz, Daniella Arêas, Savino, Wilson, Gottfried, Carmem and Bambini-Junior, Victorio

It is advisable to refer to the publisher's version if you intend to cite from the work. ##doi##

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

Table 1. Total T cell counts in the thymuses and spleen from animals of the VPA model of autism and controls*

Number of thymocytes (x 10 ⁶)		
	Control (n = 9)	VPA (n = 9)
CD4-CD8-	8.96 ± 5.76	6.87 ± 2.73
CD4+CD8+	55.51 ± 9.84	63.32 ± 10.97
<hr/>		
CD4+CD8-	6.12 ± 1.21	5.77 ± 1.44
CD4-CD8+	2.63 ± 0.77	2.40 ± 0.94
Number of spleen T lymphocytes (x 10 ⁶)		
CD3+CD4+	5.86 ± 1.11	4.94 ± 1.14
CD3+CD8+	1.93 ± 0.37	1.37 ± 0.33

*No statistically significant differences were found when comparing control versus VPA

T-cell subsets in the thymus or spleen