

Central Lancashire Online Knowledge (CLoK)

Title	Effects of different heel heights on lower extremity joint loading in experienced and in-experienced users: A musculoskeletal simulation analysis
Type	Article
URL	https://clock.uclan.ac.uk/25781/
DOI	https://doi.org/10.1007/s11332-019-00534-4
Date	2019
Citation	Sinclair, Jonathan Kenneth, Brooks, Darrell and Butters, Bobbie (2019) Effects of different heel heights on lower extremity joint loading in experienced and in-experienced users: A musculoskeletal simulation analysis. Sport Sciences for Health. ISSN 1824-7490
Creators	Sinclair, Jonathan Kenneth, Brooks, Darrell and Butters, Bobbie

It is advisable to refer to the publisher's version if you intend to cite from the work.
<https://doi.org/10.1007/s11332-019-00534-4>

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

Table 1: Joint and external loading parameters (Mean & standard deviations) as a function of experience and heel height.

	Experienced								In-Experienced								MCI D	
	High		Medium		Low		Trainer		High		Medium		Low		Trainer			
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD		
Step length (m)	0.65 _{BC}	0.06	0.69	0.07	0.70	0.05	0.77 _{ABC}	0.10	0.66 _{BC}	0.06	0.69	0.07	0.70	0.05	0.79 _{ABC}	0.09	0.03	*
External vertical load rate (BW/s)	60.22 _{BCD}	20.29	49.88	12.67	45.61	10.81	28.28 _{BC}	6.99	59.55 _{BCD}	22.92	49.15	18.31	45.15	21.08	29.27 _{BC}	13.95	7.65	*
Peak hip force (BW)	5.07	2.05	5.01	1.77	4.95	1.64	5.14	1.61	4.41	1.20	4.50	1.26	4.71	1.27	4.94	1.19	0.71	
Hip load rate (BW/s)	66.06	37.76	58.79	27.54	65.91	32.97	49.56	19.40	48.55	20.48	40.49	13.28	44.14	13.08	43.43	15.80	11.12	
Hip force per mile (BW·mile)	8008.51	1655.1 ₂	7788.40	1902.9 ₁	7773.23	1826.9 ₅	7408.18 _{4C}	2236.4 ₀	7506.38	1136.5 ₂	7156.67	1192.5 ₉	7230.56	1126.2 ₃	6698.93 _{4C}	1669.7 ₃	762.77	*
Peak medial tibiofemoral force (BW)	3.06	1.01	3.15	0.85	3.28	1.00	2.99	0.83	2.99	0.37	3.12	0.49	3.38	0.58	3.16	0.67	0.36	
Medial tibiofemoral load rate (BW/s)	36.66 _{CD}	19.90	32.49	20.66	33.14	19.05	29.05	13.06	32.49 _{CD}	9.98	27.31	5.05	27.99	4.81	23.16	7.86	6.51	*
Medial tibiofemoral force per mile (BW·mile)	4115.82	780.40	4059.91	894.17	4172.71	958.03	3798.79 _{ABC}	1062.3 ₆	4299.44	409.01	4158.87	505.61	4318.15	598.48	3820.65 _{ABC}	744.20	330.78	*
Peak lateral tibiofemoral force (BW)	1.73	0.69	1.50	0.72	1.63	0.67	1.72	0.81	1.46	0.50	1.45	0.55	1.46	0.46	1.39	0.41	0.29	
Lateral tibiofemoral load rate (BW/s)	33.05	16.42	26.75	14.45	30.72	13.70	29.35	15.05	25.09	14.39	25.49	6.28	22.64	10.87	23.53	8.49	6.00	
Lateral tibiofemoral force per mile (BW·mile)	1633.65 _{BCD}	680.42	1385.59	819.22	1381.56	775.06	1484.53	866.59	1351.96 _{BCD}	531.53	1070.94	593.30	1070.73	532.28	1037.01	476.54	315.72	*
Peak patellofemoral force (BW)	1.31 _{BC}	0.41	1.09	0.42	0.92	0.42	0.80 _{ABC}	0.39	1.43 _{BC}	0.51	1.07	0.33	1.10	0.52	0.84 _{ABC}	0.45	0.20	*
Peak patellofemoral stress (KPa/BW)	4.43 _{BC}	0.83	3.92	1.00	3.46	1.10	3.22 _{ABC}	1.08	4.68 _{BC}	1.03	3.91	0.75	3.87	1.20	3.31 _{ABC}	1.27	0.49	*
Patellofemoral load rate (BW/s)	22.06 _{BC}	6.11	18.17	6.94	16.21	5.33	11.77 _{ABC}	3.85	22.48 _{BC}	7.38	17.04	4.54	17.74	6.47	13.03 _{ABC}	5.35	2.73	*
Patellofemoral force per mile (BW·mile)	1278.93 _{BCD}	525.99	851.68 _{4CD}	317.26	613.28 _{ABD}	424.42	437.08 _{ABC}	323.54	1449.11 _{BCD}	865.90	870.11 _{4CD}	545.22	705.21 _{ABD}	382.23	456.52 _{ABC}	287.60	219.77	*
Peak ankle force (BW)	3.62 _{BCD}	1.88	4.42 _{4CD}	1.74	4.89 _{ABD}	1.62	5.13 _{ABC}	0.67	3.01 _{BCD}	0.64	3.78 _{4CD}	0.70	4.31 _{ABD}	0.47	4.78 _{ABC}	0.52	0.53	*
Ankle load rate (BW/s)	45.83	49.67	48.43	51.42	50.68	46.82	39.77	29.08	31.97	11.90	27.43	11.68	31.35	9.41	31.04	13.19	15.23	
Ankle force per mile (BW/s)	4708.05 _{BCD}	679.73	5536.47 _{CD}	1082.7 ₁	5802.58	769.05	6005.06	1231.3 ₀	4300.37 _{BCD}	609.00	4804.56 _{CD}	435.32	5400.81	537.32	5248.77	585.61	363.62	*
Peak Achilles tendon force (BW)	1.95 _{BCD}	0.87	2.66 _{4CD}	0.70	3.03 _{ABD}	0.70	3.75 _{ABC}	0.47	1.69 _{BCD}	0.63	2.23 _{4CD}	0.58	2.76 _{ABD}	0.45	3.44 _{ABC}	0.45	0.29	*
Peak Achilles tendon load rate (BW/s)	19.76	21.51	22.83	20.14	24.02	17.52	23.10	11.17	12.56	6.48	14.18	5.73	15.20	5.91	16.19	4.54	6.14	
Achilles tendon force per mile (BW·s)	1610.45 _{BCD}	314.85	2317.79 _{4CD}	375.50	2599.02 _{ABD}	370.01	3236.02 _{ABC}	590.51	1630.99 _{BCD}	716.03	2050.85 _{4CD}	282.44	2605.17 _{ABD}	392.53	2968.13 _{ABC}	412.71	208.47	*

Key
 * = main effect of FOOTWEAR
 A = significantly different from high
 B = significantly different from medium
 C = significantly different from low
 D = significantly different from trainer