

### **Central Lancashire Online Knowledge (CLoK)**

Title	Collection Methods for Touch DNA Direct Amplification
Type	Article
URL	https://clok.uclan.ac.uk/id/eprint/45681/
DOI	10.24966/FLIS-733X/100072
Date	2023
Citation	Alketbi, Salem Khalifa and Goodwin, William H (2023) Collection Methods
	for Touch DNA Direct Amplification. Journal of Forensic Legal & Investigative
	Sciences, 9 (72). pp. 1-3.
Creators	Alketbi, Salem Khalifa and Goodwin, William H

It is advisable to refer to the publisher's version if you intend to cite from the work. 10.24966/FLIS-733X/100072

For information about Research at UCLan please go to <a href="http://www.uclan.ac.uk/research/">http://www.uclan.ac.uk/research/</a>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the http://clok.uclan.ac.uk/policies/



## **HSOA Journal of**

## Forensic, Legal & Investigative Sciences

#### **Research Article**

# Collection Methods for Touch DNA Direct Amplification

#### Alketbi Salem K 1,2\* and Goodwin W1

<sup>1</sup>University of Central Lancashire, Preston, UK

<sup>2</sup>General Department of Forensic Science and Criminology, Dubai Police, Dubai, UAE

#### **Abstract**

DNA direct amplification from biological samples such as saliva and blood has proven to be successful but can be more challenging from minute samples such as trace DNA. Developing new protocols to collect and process Touch DNA samples can improve DNA direct amplification, therefore a variety of collection methods were investigated for their efficiency to collect Touch DNA for direct amplification using a GlobalFiler TM PCR amplification Kit. Touch Samples were collected from six surfaces to test the sensitivity of the collection method for direct amplification, with the number of alleles observed from the DNA profiles significantly affected by collection type (p<0.001). Copan microFLOQ swabs (MF) and SceneSafe Fast Minitapes (MT) recovered a higher percentage of alleles and were more reliable for direct DNA amplification.

**Keywords:** Cotton swab; DNA direct amplification; DNA recovery; Forensic science; GlobalFiler™ PCR amplification kit; MicroFLOQ™ swabs; Nylon flocked swab; SceneSafe fast™ minitape; Touch DNA; Trace DNA

#### Introduction

Touch DNA is present on many used items but is often challenging [1-13]. However, direct amplification in DNA profiling omits the DNA extraction and quantification steps, directly amplifying the DNA by PCR after sample collection. This technique maximises the quantity of DNA, avoids laboratory personnel errors, minimises DNA contamination from handling, as well as reduces the overall DNA sample processing time and cost [1]. While DNA direct amplification from biological samples such as saliva and blood is successful [14], it can be more challenging from minute samples such as trace DNA [1,15]. Developing new protocols to collect and process Touch DNA

\*Corresponding author: Alketbi Salem K, University of Central Lancashire, Preston, UK, 2General Department of Forensic Science and Criminology, Dubai Police, Dubai, UAE, Tel:- 00447774141205; E-mail alkitbe.11@hotmail.com

Citation: Alketbi SK, Goodwin W (2023) Collection Methods for Touch DNA Direct Amplification. Forensic Leg Investig Sci 9: 072.

Received: February 09, 2023; Accepted: February 16, 2023; Published: February 22, 2023

**Copyright:** © 2023 Alketbi SK, et al. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.

samples can improve DNA direct amplification, therefore a variety of collection methods were tested for their efficiency to collect Touch DNA for direct amplification using a GlobalFiler<sup>TM</sup> PCR amplification Kit.


#### **Materials and Methods**

#### **Experimental setup**

The deposition methodology was as previously described [3]. Briefly, two participants previously identified as high and low shedders were asked to clean their hands with antibacterial soap and refrain from doing any activity for 10 min, then charge the fingers of both hands with eccrine sweat by touching their forehead to load them with epithelial cells. The participants were then instructed to touch the surfaces using their index, middle, and ring fingers of both hands separately for deposition by applying medium pressure on a 2.5 x 3.5 cm area for 1 min (total number of deposits is 72, 12 replicates per each collection method). Touch DNA was deposited on a variety of surfaces including stainless steel, textured plastic, textured wood, copier paper, fabric (composed of 65% polyester and 35% cotton), and glass. All non-porous surfaces were sterilised with 2% virkon (viricidal disinfectant) and Ultra Violet radiation (UV) for 20 min, and porous surfaces were irradiated using UV for 30 min.

#### **DNA** recovery

DNA was collected using six collection methods as shown in (Figure 1). The MicroFLOQ<sup>TM</sup> swab (MF), Mini Cotton Swab (MCS) and Mini Plastic Swab (MPS) were moistened with  $1\mu L$  of sterile distilled water using a pipette. The Cotton Swab (CS) was moistened with  $100\mu L$  of sterile distilled water applied using a plastic spray bottle technique [7] and the nylon flocked Swab (NS) was moistened with  $30\mu L$  of sterile distilled applied by pipette. No water was added to Minitapes (MT) but to increase the amount of Touch DNA collected, each minitape was applied 16 times to the area.




**Figure 1:** Six collection methods used for direct amplification: (A) MicroFLOQ<sup>™</sup> swab (MF) (Copan), (B) SceneSafe Fast<sup>™</sup> Minitape (MT) (K545), (C) Mini Cotton Swab (MCS) (Fenshine), (D) Mini Plastic Swab (MPS) (G2Plus), (E) Copan Nylon flocked Swab (4N6FLOQSwabs®) (NS) and (F) Copan Cotton Swab (CS) (150C).

#### DNA amplification and analysis


The DNA samples were transferred to PCR tubes (0.2 ml) for direct amplification using the GlobalFiler<sup>TM</sup> PCR Amplification Kit (Thermo Fisher Scientific). The MF swab head was broken directly into the tube and approximately 2 mm² of the other swabs and MT were cut and placed into the tube. The PCR master mix was added directly to the tubes and the reaction volume was made up with TE buffer before amplification was performed on an ABI GeneAmp® 9700 PCR System (Life Technologies) for 29 cycles. The amplified products were size-separated and detected on an ABI 3500 Genetic Analyzer (Life Technologies) using 1 μl of PCR product, 9.6 μl Hi-Di<sup>TM</sup> formamide, and 0.4μl GeneScan<sup>TM</sup> 600 LIZ® Size Standard v2.0 (Thermo Fisher Scientific) according to the manufacturer's protocol. Statistical analysis was performed with RStudio using factorial analysis of variance (ANOVA) and Microsoft Excel.

#### **Results and Discussion**

The number of alleles observed in the DNA profiles was significantly affected by collection type (p < 0.001), as well as surface type (p < 0.05) (Figures 2 & 3). MicroFLOQ swabs (MF) and Minitapes (MT) recovered a higher percentage of alleles and were more reliable for direct DNA amplification than Mini Plastic Swabs (MPS) and Mini Cotton Swabs (MCS) (p < 0.05). Cotton Swabs (CS) and 4N6FLOQSwabs (NS) recovered a moderate percentage of alleles but the results were not consistent compared to MF and MT.




**Figure 2:** Percentage of alleles recovered from Touch DNA samples (n=72) collected by six different methods and directly amplified using the GlobalFiler™ kit. MF; microFLOQ™ swabs - MPS; Mini Plastic Swabs - MCS; Mini Cotton Swabs - MT; Minitapes - CS; Cotton Swabs - NS; Nylon flocked Swabs.



**Figure 3:** Number of alleles recovered from Touch DNA samples (n= 72) collected by six different methods and directly amplified with the Global-Filer<sup>TM</sup> kit. CS; Cotton Swabs - MCS; Mini Cotton Swabs - MF; micro-FLOQ<sup>TM</sup> swabs - MPS; Mini Plastic Swabs - MT; Minitapes - NS; Nylon flocked Swabs.

More alleles were recovered from non-porous surfaces than porous surfaces (p < 0.05), when samples were processed for direct PCR (allele recovery for Stainless steel; 77%, Glass; 72%, Textured plastic; 65%, Textured wood; 56%, Copier paper; 49%, and Fabric; 51%). Touch DNA samples were collected from six surfaces to test the sensitivity of the collection method for direct amplification as it has been shown previously that different surface types impact the recovery of Touch DNA [3]. MF and MT yielded full and partial STR profiles with balanced loci but the other collection methods tested only produced partial STR profiles or no data (Figure 4). Direct amplification resulted in artifacts in some samples, mostly split and shoulder peaks (Figure 5)



**Figure 4:** Comparison of electropherograms at five loci (D22S1045, D5S818, D13S317, D7S820 and SE33) generated by the direct amplification of samples collected by the six different methods. MF; micro-FLOQ™ swabs - MPS; Mini Plastic Swabs - MCS; Mini Cotton Swabs - MT; Minitapes - CS; Cotton Swabs - NS; Nylon flocked Swabs.




Figure 5: Split and shoulder peaks present in the STR profiles produced by the direct amplification of DNA samples collected by the six different methods

#### Conclusion

The success of the direct amplification of Touch DNA is dependent on the quantity of cellular material available on the surface but can be improved by an effective collection method. MicroFLOQ swabs and Minitapes were the most effective methods tested in this study to collect trace DNA for direct amplification. The MicroFLOQ swabs with their appropriate design allow easy collection and sample processing compared to the Minitapes which require more handling.

#### **Conflict of Interest**

None.

#### Acknowledgements

This study was approved by the General Department of Forensic Science and Criminology in Dubai Police and ethical approval was granted by the University of Central Lancashire's Research Ethics Committee (ref. no. STEMH 912).

#### References

- Alketbi SK (2018) The affecting factors of Touch DNA. Journal of Forensic Research 9: 424.
- Alketbi SK (2020) Collection of Touch DNA from rotten banana skin. International Journal of Forensic Sciences 5: 000204.
- Alketbi SK, Goodwin W (2019) The effect of surface type, collection, and extraction methods on Touch DNA. Forensic Science International Genetics Supplement Series 7: 704-706.
- Alketbi SK, Goodwin W (2019) The effect of time and environmental conditions on Touch DNA. Forensic Science International Genetics Supplement Series 7: 701-703.
- Alketbi SK, Goodwin W (2019) The effect of sandy surfaces on Touch DNA. Journal of Forensic Legal & Investigative Sciences 5: 034.
- Alketbi SK, Goodwin W (2021) Touch DNA Collection Techniques for Non-Porous Surfaces Using Cotton and Nylon Swabs. Journal of Scientific & Technical Research 36: 28608-28612.
- Alketbi SK, Goodwin W (2019) Validating Touch DNA collection techniques using cotton swabs. Journal of Forensic Research 10: 445.

- Alketbi SK (2022) An Innovative Solution to Collect Touch DNA for Direct Amplification. Journal of forensic sciences & criminal investigation 16: 555928.
- Alketbi SK, Alsoofi S (2022) Dual Recovery of DNA and Fingerprints using Minitapes. Journal of forensic sciences & criminal investigation 16: 555929.
- Alketbi SK, Goodwin W (2022) The Impact of Area Size and Fabric Type on Touch DNA Collected from Fabric. Journal of forensic sciences & criminal investigation 16: 555926.
- 11. Alketbi SK (2022) The Impact of Collection Method on Touch DNA Collected from Fabric. Journal of forensic sciences & criminal investigation 15: 555922.
- Alketbi SK, Goodwin W (2022) The impact of deposition area and time on Touch DNA collected from fabric. Forensic Science International. Genetics Supplement Series 8: 45-47.
- Alketbi SK (2022) Analysis of Touch DNA [Unpublished doctoral dissertation]. University of Central Lancashire.
- 14. Ambers A, Wiley R, Novroski N, Budowle B (2018) Direct PCR amplification of DNA from human blood stains, saliva, and touch samples collected with microFLOQ® swabs. Forensic Science International Genetics 32: 80-87.
- Linacre A, Pekarek V, Swaran YC, Tobe SS (2009) Generation of DNA profiles from fabrics without DNA extraction. Forensic Science International Genetics 4: 137-141.



Advances In Industrial Biotechnology | ISSN: 2639-5665

Advances In Microbiology Research | ISSN: 2689-694X

Archives Of Surgery And Surgical Education | ISSN: 2689-3126

Archives Of Urology

Archives Of Zoological Studies | ISSN: 2640-7779

Current Trends Medical And Biological Engineering

International Journal Of Case Reports And Therapeutic Studies  $\mid$  ISSN: 2689-310X

Journal Of Addiction & Addictive Disorders | ISSN: 2578-7276

Journal Of Agronomy & Agricultural Science | ISSN: 2689-8292

Journal Of AIDS Clinical Research & STDs | ISSN: 2572-7370

Journal Of Alcoholism Drug Abuse & Substance Dependence | ISSN: 2572-9594

Journal Of Allergy Disorders & Therapy | ISSN: 2470-749X

Journal Of Alternative Complementary & Integrative Medicine | ISSN: 2470-7562

Journal Of Alzheimers & Neurodegenerative Diseases | ISSN: 2572-9608

Journal Of Anesthesia & Clinical Care | ISSN: 2378-8879

Journal Of Angiology & Vascular Surgery | ISSN: 2572-7397

Journal Of Animal Research & Veterinary Science | ISSN: 2639-3751

Journal Of Aquaculture & Fisheries | ISSN: 2576-5523

Journal Of Atmospheric & Earth Sciences | ISSN: 2689-8780

Journal Of Biotech Research & Biochemistry

Journal Of Brain & Neuroscience Research

Journal Of Cancer Biology & Treatment | ISSN: 2470-7546

Journal Of Cardiology Study & Research | ISSN: 2640-768X

Journal Of Cell Biology & Cell Metabolism | ISSN: 2381-1943

 $Journal\ Of\ Clinical\ Dermatology\ \&\ Therapy\ |\ ISSN:\ 2378-8771$ 

Journal Of Clinical Immunology & Immunotherapy | ISSN: 2378-8844

Journal Of Clinical Studies & Medical Case Reports | ISSN: 2378-8801

Journal Of Community Medicine & Public Health Care | ISSN: 2381-1978

Journal Of Cytology & Tissue Biology | ISSN: 2378-9107

Journal Of Dairy Research & Technology | ISSN: 2688-9315

Journal Of Dentistry Oral Health & Cosmesis | ISSN: 2473-6783

Journal Of Diabetes & Metabolic Disorders | ISSN: 2381-201X

Journal Of Emergency Medicine Trauma & Surgical Care | ISSN: 2378-8798

Journal Of Environmental Science Current Research | ISSN: 2643-5020

Journal Of Food Science & Nutrition | ISSN: 2470-1076

Journal Of Forensic Legal & Investigative Sciences | ISSN: 2473-733X

Journal Of Gastroenterology & Hepatology Research | ISSN: 2574-2566

Journal Of Genetics & Genomic Sciences | ISSN: 2574-2485

Journal Of Gerontology & Geriatric Medicine | ISSN: 2381-8662

Journal Of Hematology Blood Transfusion & Disorders | ISSN: 2572-2999

Journal Of Hospice & Palliative Medical Care

Journal Of Human Endocrinology | ISSN: 2572-9640

Journal Of Infectious & Non Infectious Diseases | ISSN: 2381-8654

Journal Of Internal Medicine & Primary Healthcare | ISSN: 2574-2493

Journal Of Light & Laser Current Trends

Journal Of Medicine Study & Research | ISSN: 2639-5657

Journal Of Modern Chemical Sciences

Journal Of Nanotechnology Nanomedicine & Nanobiotechnology | ISSN: 2381-2044

Journal Of Neonatology & Clinical Pediatrics | ISSN: 2378-878X

Journal Of Nephrology & Renal Therapy | ISSN: 2473-7313

Journal Of Non Invasive Vascular Investigation | ISSN: 2572-7400

Journal Of Nuclear Medicine Radiology & Radiation Therapy | ISSN: 2572-7419

Journal Of Obesity & Weight Loss | ISSN: 2473-7372

Journal Of Ophthalmology & Clinical Research | ISSN: 2378-8887

Journal Of Orthopedic Research & Physiotherapy | ISSN: 2381-2052

Journal Of Otolaryngology Head & Neck Surgery | ISSN: 2573-010X

Journal Of Pathology Clinical & Medical Research

Journal Of Pharmacology Pharmaceutics & Pharmacovigilance | ISSN: 2639-5649

Journal Of Physical Medicine Rehabilitation & Disabilities | ISSN: 2381-8670

Journal Of Plant Science Current Research | ISSN: 2639-3743

Journal Of Practical & Professional Nursing | ISSN: 2639-5681

Journal Of Protein Research & Bioinformatics

Journal Of Psychiatry Depression & Anxiety | ISSN: 2573-0150

Journal Of Pulmonary Medicine & Respiratory Research | ISSN: 2573-0177

Journal Of Reproductive Medicine Gynaecology & Obstetrics | ISSN: 2574-2574

Journal Of Stem Cells Research Development & Therapy | ISSN: 2381-2060 Journal Of Surgery Current Trends & Innovations | ISSN: 2578-7284

Journal Of Toxicology Current Research | ISSN: 2639-3735

Journal Of Translational Science And Research

Journal Of Vaccines Research & Vaccination | ISSN: 2573-0193

Journal Of Virology & Antivirals

Sports Medicine And Injury Care Journal | ISSN: 2689-8829

Trends In Anatomy & Physiology | ISSN: 2640-7752

Submit Your Manuscript: https://www.heraldopenaccess.us/submit-manuscript