

Central Lancashire Online Knowledge (CLoK)

Title	Safe repeat prescribing systems
Type	Article
URL	https://clock.uclan.ac.uk/47375/
DOI	10.12968/jprp.2023.5.6.236
Date	2023
Citation	Davies, Janice Anne (2023) Safe repeat prescribing systems. <i>Journal of Prescribing Practice</i> , 5 (6). pp. 236-237. ISSN 2631-8385
Creators	Davies, Janice Anne

It is advisable to refer to the publisher's version if you intend to cite from the work.
10.12968/jprp.2023.5.6.236

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

Safe repeat prescribing systems


Janice Davies

Pharmacist Co-Course Leader – Non Medical Prescribing, University of Central Lancashire

jadavies5@uclan.ac.uk

It is estimated that £300 million is wasted on medicines in the UK each year. The causes of waste vary, from inefficient prescribing and stockpiling to patient recovery and non-adherence. Pharmaceutical waste can occur at any stage from the point of prescribing to the taking/not taking of medicines by the patient, and can occur through failures in existing processes or patient behaviours. The prescriber, dispenser and patient all play a part in the creation of waste. Repeat prescribing can contribute to medicine waste in a number of ways (NHS England, 2023):

- Items prescribed/dispensed, but not required by patients
- Items dispensed without being requested by the patient
- Patients over-ordering to create a stockpile of medication (often this applies to 'when required' medication)
- Patient concerns over medicine shortages (having 'plenty of medicines as a stand-by')
- Patient concerns over effects of non-adherence: 'Always ask for everything on the slip ... don't want to run out, easier to say everything, don't want doctor to think I'm not using them properly by not re-ordering'
- In primary care, a review of high-cost drug prescribing can reveal areas of waste, not to mention opportunities to address patient safety issues and improve patient care.



Case scenario

Drug	Directions	Quantity prescribed	Cost for 1-month supply	Problem	Outcome after review	Directions after review	Quantity after review	Monthly cost saving
A	One to be taken three times a day	84	£1428	Dose on discharge letter stated 'One to be taken three times a week'	Prescription was reviewed and updated	One to be taken three times a week	12	?
B	One to be taken daily	28	£987	Red traffic light medicine for prescribing only by hospital specialist	Prescribing of the medicine transferred back to specialist	N/A	0	?
C	One to be taken daily	2 x 84	2 x £282	Patient was over-ordering; the prescription was issued twice in the last month	Prescribed quantity was reduced to a 28-day supply	One to be taken daily	28	?

Case scenario

The following scenario shows the prescribing cost of three medicines in general practice over a 1-month period. Work out the monthly cost savings after reviewing each prescription.

NHS England. Pharmaceutical waste reduction in the NHS. 2023. <https://www.england.nhs.uk/wp-content/uploads/2015/06/pharmaceutical-waste-reduction.pdf> (accessed 30 May 2023)