

Central Lancashire Online Knowledge (CLOK)

Title	Population data for 21 autosomal short tandem repeat markers in the Arabic population of the United Arab Emirates
Type	Article
URL	https://clock.uclan.ac.uk/17475/
DOI	https://doi.org/10.1016/j.fsigen.2017.02.015
Date	2017
Citation	Jones, Rebecca J, Al Tayaare, Wafa, Tay, Guan K, Alsafar, Habiba and Goodwin, William H (2017) Population data for 21 autosomal short tandem repeat markers in the Arabic population of the United Arab Emirates. Forensic Science International: Genetics, 28. e41-e42. ISSN 1872-4973
Creators	Jones, Rebecca J, Al Tayaare, Wafa, Tay, Guan K, Alsafar, Habiba and Goodwin, William H

It is advisable to refer to the publisher's version if you intend to cite from the work.
<https://doi.org/10.1016/j.fsigen.2017.02.015>

For information about Research at UCLan please go to <http://www.uclan.ac.uk/research/>

All outputs in CLOK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the <http://clock.uclan.ac.uk/policies/>

Supplementary Table 2: Allele frequencies and statistical parameters for 21 autosomal STR loci for UAE population

[illegible]

18	0.130	0.210				0.002		0.077		0.001	
18.2										0.001	
18.3											
19	0.014	0.068	0.002					0.049			
19.1											
19.2											
19.3											
20		0.009						0.019			
20.2											
20.3											
21		0.002						0.005			
21.1											
21.2								0.002			
22								0.005			
22.2											
23											
23.2											
24								0.001			
24.2											
25											
25.2											
25.3											
26							0.001				
26.2											
27							0.024				
27.2											
28							0.165				
28.2											
28.3											
29							0.219				
29.2							0.001				
30							0.239				
30.2							0.027				
31							0.044				
31.2							0.096				
31.3							0.001				
32							0.007				
32.2							0.123				
33							0.002				
33.2							0.038				
34							0.002				

34.2							0.006				
35							0.006				
35.2							0.001				
36							0.002				
36.2											
37											
N	996	996	996	996	995	996	996	996	996	996	996
Ho	0.750	0.801	0.738	0.715	0.687	0.798	0.827	0.858	0.732	0.819	0.766
He	0.766	0.799	0.771	0.725	0.697	0.839	0.839	0.878	0.752	0.852	0.782
HWE	0.399	0.537	0.383	0.196	0.195	0.202	0.020	0.012	0.056	0.000	0.031
PD	0.908	0.928	0.916	0.872	0.863	0.955	0.953	0.972	0.900	0.962	0.920
MP	0.092	0.072	0.084	0.129	0.137	0.045	0.047	0.028	0.100	0.038	0.081
PE	0.510	0.601	0.489	0.452	0.408	0.601	0.650	0.711	0.479	0.635	0.538
TPI	2.000	2.513	1.908	1.754	1.597	2.475	2.890	3.521	1.866	2.762	2.137
PIC	0.726	0.768	0.738	0.673	0.653	0.819	0.819	0.864	0.718	0.836	0.748
CPD	0.9999999999										
CMP	4.38x10 ⁻²⁷										
CPE	0.9999999964										

N: Number of Samples, Ho: Observed Heterozygosity, He: Expected Heterozygosity, HWE: Hardy Weinberg p-value, PD: Power of Discrimination, MP: Match Probability, PE: Power of Exclusion, TPI: Typical Paternity Index, PIC: Polymorphic Information Content, CPD: Combined Match Probability, CMP: Combined Match Probability, CPE: Combined Power of Exclusion.

Continuation of Supplementary Table 2

[illegible]

17.3						0.001		0.032	0.007	
18	0.005	0.004				0.101	0.002	0.006	0.177	0.099
18.2	0.001									
18.3								0.016	0.012	
19	0.063					0.082		0.001	0.123	0.140
19.1									0.001	
19.2	0.005					0.001			0.001	
19.3								0.005	0.002	
20	0.087					0.042			0.128	0.164
20.2	0.003					0.004				
20.3									0.001	
21	0.117					0.018			0.125	0.064
21.1						0.001				
21.2	0.004					0.015				
22	0.152					0.006			0.088	0.043
22.2	0.006					0.020				
23	0.167					0.003			0.089	0.109
23.2	0.002					0.021				
24	0.217					0.002			0.049	0.076
24.2	0.002					0.030				
25	0.109	0.001							0.019	0.048
25.2	0.001					0.034				
25.3	0.001									
26	0.040								0.005	0.009
26.2						0.043				
27	0.007									0.002
27.2						0.054				
28	0.005									
28.2						0.066				
28.3						0.001				
29	0.002					0.002				
29.2						0.059				
30	0.001									
30.2						0.038				
31	0.001					0.001				
31.2	0.001					0.036				
31.3										
32						0.001				
32.2						0.022				
33						0.002				
33.2						0.006				

34						0.010				
34.2						0.004				
35						0.004				
35.2						0.001				
36						0.002				
36.2						0.001				
37						0.002				
N	991	996	996	996	996	991	996	996	996	996
Ho	0.850	0.689	0.749	0.785	0.783	0.917	0.730	0.859	0.878	0.850
He	0.863	0.732	0.746	0.782	0.788	0.948	0.763	0.883	0.886	0.877
HWE	0.294	0.024	0.629	0.648	0.230	0.000	0.009	0.305	0.376	0.000
PD	0.967	0.832	0.888	0.922	0.922	0.994	0.907	0.975	0.975	0.972
MP	0.034	0.108	0.112	0.078	0.078	0.006	0.093	0.025	0.025	0.028
PE	0.695	0.411	0.508	0.572	0.568	0.830	0.476	0.713	0.751	0.695
TPI	3.333	1.608	1.992	2.326	2.304	6.024	1.852	3.546	4.098	3.333
PIC	0.848	0.693	0.704	0.751	0.755	0.945	0.725	0.871	0.875	0.864
CPD	0.9999999999									
CMP	4.38x10 ⁻²⁷									
CPE	0.9999999964									

N: Number of Samples, Ho: Observed Heterozygosity, He: Expected Heterozygosity, HWE: Hardy Weinberg p-value, PD: Power of Discrimination, MP: Match Probability, PE: Power of Exclusion, TPI: Typical Paternity Index, PIC: Polymorphic Information Content, CPD: Combined Match Probability, CMP: Combined Match Probability, CPE: Combined Power of Exclusion.