

Central Lancashire Online Knowledge (CLoK)

| Title | An integrative review exploring the physical and psychological harm |
|----------|--|
| | inherent in using restraint in mental health inpatient settings |
| Туре | Article |
| URL | https://clok.uclan.ac.uk/21448/ |
| DOI | https://doi.org/10.1111/inm.12432 |
| Date | 2018 |
| Citation | Cusack, Pauline, Cusack, Frank Patrick, McAndrew, Sue, Mckeown, Michael and Duxbury, Joy (2018) An integrative review exploring the physical and psychological harm inherent in using restraint in mental health inpatient settings. International Journal of Mental Health Nursing, 27 (3). pp. 1162-1176. ISSN 1445-8330 |
| Creators | Cusack, Pauline, Cusack, Frank Patrick, McAndrew, Sue, Mckeown, Michael and Duxbury, Joy |

It is advisable to refer to the publisher's version if you intend to cite from the work. https://doi.org/10.1111/inm.12432

For information about Research at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the http://clok.uclan.ac.uk/policies/

Table 1

Search terms

| Setting And | Perspective AND | Intervention And | Evaluation |
|-----------------------|------------------------|--------------------------|---------------------|
| Hospital | Vulnerable adults | Behaviour control | Violence |
| OR | OR | OR | OR |
| Psychiatric hospitals | Adults at risk | Coercion | Abuse |
| OR | OR | OR | OR |
| Institutional setting | In-patient | Containment | Abuse of patients |
| OR | OR | OR | OR |
| Institution | Psychiatric patients | Control | Patient abuse |
| OR | OR | OR | OR |
| Institutional care | Mental health patients | Manual restraint | Abusive practice |
| OR | OR | OR | OR |
| Psychiatric unit | Consumer | Physical restraint | Sexual abuse |
| OR | OR | OR | OR |
| Nursing care | Client | Restraint | Trauma |
| OR | OR | OR | OR |
| Psychiatric nursing | Service user | Restraint physical | Risk |
| OR | | OR | OR |
| Psychiatric ward | | Restrictive intervention | Risk of injury |
| OR | | | OR |
| Psychiatric service | | | Adverse effect |
| OR | | | OR |
| Psychiatric unit | | | Adverse health care |
| OR | | | event |
| Psychiatric care | | | OR |
| Psychiatric setting | | | Adverse impact |
| OR | | | OR |
| Mental health ward | | | Elder abuse |
| OR | | | OR |
| mental health setting | | | Harm |
| OR | | | OR |
| mental health unit | | | Injury risk |
| | | | OR |
| | | | Physical abuse |

| | OR | |
|--|----------------------|---|
| | Safeguarding | |
| | OR | |
| | Safety behaviour | |
| | OR | |
| | Post-traumatic stres | 3 |
| | disorder | |
| | | |

Table 2
Summary of articles

| Authors, Year, Country | Study Type and | Aim | Sample and setting | Main themes from physical restraint | Quality |
|------------------------|--------------------|-------------------------|---------------------------|-------------------------------------|---------|
| | analysis | | | | Grading |
| | | | | | |
| Bonner , Lowe, | Qualitative semi- | To establish | 12 staff and six patients | Trauma/re-traumatisation | С |
| Rawcliffe and Wellman | structured | feasibility of using | in an inpatient mental | Feeling ignored | |
| (2002) | interviews. | semi-structured | health ward in South of | Inhumane conditions | |
| UK | Thematic analysis | interviews with | England | Distress | |
| | | patients following | | Fear | |
| | | restraint. To gather | | | |
| | | information on | | | |
| | | factors which patients | | | |
| | | and staff felt helpful | | | |
| | | or unhelpful in their | | | |
| | | experience of | | | |
| | | restraint following | | | |
| | | restraint and to report | | | |
| | | on lived experiences | | | |
| | | of people involved | | | |
| Brophy, Roper, | Qualitative. Focus | To examine the lived | 30 mental health service | Trauma/re-traumatisation | С |
| Hamilton, Tellez and | Groups | experiences of service | users and 26 carers in | Inhumane conditions | |
| McSherry (2016) | Inductive analysis | users and carers | four cities and one | Fear | |
| Australia | (NVivo software) | around the use of | regional centre | Control | |
| | | seclusion and | | Power | |
| | | restraint | | | |
| | | | | | 1 |

| Haw, Stubbs, Bickle and | Mixed methods. | To report on forensic | 57 patients in a forensic | Feeling ignored | В |
|-------------------------|----------------------|-----------------------|----------------------------|--------------------------|---|
| Stewart | Qualitative | rehabilitation of | psychiatric setting | Distress | |
| | | | psychiatric setting | | |
| (2011) | Thematic analysis | inpatients' | | Dehumanisation | |
| UK | Quantitative | experiences and | | Power | |
| | Statistical analysis | preferences for | | Calm | |
| | | physical restraint, | | | |
| | | seclusion and | | | |
| | | sedation | | | |
| Knowles, Hearne and | Qualitative | To examine the | 8 patients on a medium | Power | С |
| Smith (2015) | Interviews | impact on the staff- | secure unit | Dehumanisation | |
| UK | Thematic analysis | patient therapeutic | | Trauma/re-traumatisation | |
| | | alliance | | | |
| | | | | | |
| Lee, Gray, Gournay, | Mixed Methods | Seek views of | 338 psychiatric nurse in | Dehumanisation | C |
| Wright, Parr and Sayer | Qualitative | psychiatric nurses in | regional, secure and | Power | |
| (2003) | Thematic analysis | their experience in | psychiatric intensive | | |
| UK | · | use of restraint | care units in England | | |
| | Quantitative SPSS- | | and Wales | | |
| | Statistical analysis | | and was | | |
| C : 1 II.1 . 1 | | | 14: | D. | |
| Sequeira and Halstead | Qualitative | To examine the | 14 in-patients in a secure | Power | A |
| (2002) | (Grounded Theory). | experiences of | mental health setting | Distress | |
| UK | Semi-structured | physical restraint | | Fear | |
| | interviews | procedures from a | | Control | |
| | | service user | | Calm | |
| | | perspective | | | |
| Sequeira and Halstead | Qualitative | To examine the | 17 nurses in a secure | Trauma/re-traumatisation | A |
| (2004) | (Grounded Theory). | experience of | mental health setting | Distress | |
| UK | Semi-structured | physical restraint by | | Power | |
| | interviews | nursing staff in a | | | |
| | | secure mental health | | | |
| | | setting | | | |
| Steinert, Bergbauer,, | Quantitative SPSS- | To look at how | 117 mental health in- | Trauma/re-traumatisation | A |
| Schmid, and Gebhardt, | Statistical analysis | seclusion and | patients | | |
| (2007) | | restraint might cause | **** | | |
| Germany | | Post traumatic Stress | | | |
| Commany | | | | | |
| | | Disorder and and re- | | | |
| | | victimisation | | | |
| | | | | | |

| Wilson, Rouse, Rae and | Qualitative | To improve | 13 patients and 22 staff | Fear | A |
|------------------------|-----------------------|--------------------------|--------------------------|--------------------------|---|
| Rae | Thematic analysis | understanding of | in adult mental health | Power | |
| (2017) | | restraint for both staff | in-patient environments. | Dehumanisation | |
| UK | | and patients, who | | Distress | |
| | | have direct | | | |
| | | experience or have | | | |
| | | witnessed restraint | | | |
| Wynn | Qualitative | To allow patient to | 12 mental health in- | Trauma/re-traumatisation | В |
| (2004) | Grounded Theory | share experiences of | patients | Distress | |
| Norway | Interpretive analysis | physical restraint | | Fear | |
| | | | | Control | |
| | | | | Power | |
| | | | | Calm | |
| | | | | | |
| | | | | | |