

Central Lancashire Online Knowledge (CLoK)

| Title | Effects of different heel heights on lower extremity joint loading in experienced and in-experienced users: A musculoskeletal simulation analysis |
|----------|---|
| Type | Article |
| URL | https://clok.uclan.ac.uk/id/eprint/25781/ |
| DOI | https://doi.org/10.1007/s11332-019-00534-4 |
| Date | 2019 |
| Citation | Sinclair, Jonathan Kenneth, Brooks, Darrell and Butters, Bobbie (2019) Effects of different heel heights on lower extremity joint loading in experienced and in-experienced users: A musculoskeletal simulation analysis. Sport Sciences for Health. ISSN 1824-7490 |
| Creators | Sinclair, Jonathan Kenneth, Brooks, Darrell and Butters, Bobbie |

It is advisable to refer to the publisher's version if you intend to cite from the work. https://doi.org/10.1007/s11332-019-00534-4

For information about Research at UCLan please go to http://www.uclan.ac.uk/research/

All outputs in CLoK are protected by Intellectual Property Rights law, including Copyright law. Copyright, IPR and Moral Rights for the works on this site are retained by the individual authors and/or other copyright owners. Terms and conditions for use of this material are defined in the http://clok.uclan.ac.uk/policies/

Table 2: Muscle-tendon length parameters (Mean & standard deviations) as a function of experience and heel height. *

| | Experienced | | | | | | | | | In-Experienced | | | | | | | | |
|----------------------------|------------------|------|------------------|------|------------------|------|------------------|------|------------------|----------------|------------------|------|------------------|------|------------------|------|-------------|---|
| | High | | Medium | | Low | | Trainer | | High | | Medium | | Low | | Trainer | | MCID | |
| | Mean | SD | Mean | SD | Mean | SD | Mean | SD | | |
| Soleus (cm) | 27.53 вср | 0.54 | 28.63 ACD | 0.40 | 28.80 <i>ABD</i> | 0.46 | 29.99 <i>ABC</i> | 0.25 | 28.04 вср | 1.33 | 28.50 ACD | 0.43 | 28.78 <i>ABD</i> | 0.31 | 29.92 <i>ABC</i> | 0.25 | 0.01 | * |
| Lateral gastrocnemius (cm) | 42.19 <i>BCD</i> | 0.49 | 43.41 <i>ACD</i> | 0.28 | 43.70 <i>ABD</i> | 0.43 | 44.93 <i>ABC</i> | 0.28 | 42.71 <i>BCD</i> | 1.25 | 43.37 <i>ACD</i> | 0.44 | 43.65 <i>ABD</i> | 0.34 | 44.84 <i>ABC</i> | 0.29 | 0.01 | * |
| Medial gastrocnemius (cm) | 42.60 вср | 0.48 | 43.79 <i>ACD</i> | 0.28 | 44.08 <i>ABD</i> | 0.42 | 45.29 <i>ABC</i> | 0.28 | 43.11 вср | 1.22 | 43.75 ACD | 0.43 | 44.02 <i>ABD</i> | 0.33 | 45.19 <i>ABC</i> | 0.29 | 0.01 | * |

* = main effect of FOOTWEAR

A = significantly different from high
B = significantly different from medium
C = significantly different from low
D = significantly different from trainer